

CIRCULADORAS DE CALEFACCION SIMPLES (Rotor húmedo)

CODIGO	ARTICULO	Bocas o racor	Distancia ent./bocas	Tensión	Euros
09.00.100	A 35/130	1"	130	230M	130,00
09.00.102	A 35/180	1"	180	230M	130,00
09.00.104	A 55/180	1"	180	230M	136,24
09.00.106	A 55/180X	1 1/4"	180	230M	144,56
09.00.108	A 65/180	1"	180	230M	141,44
09.00.110	A 65/180X	1 1/4"	180	230M	156,00
09.00.112	A 50/180XM	1 1/4"	180	230M	246,48
09.00.150	B 50/250.40M	40	250	230M	294,32
09.00.116	A 56/180XM	1 1/4"	180	230M	277,68
09.00.154	B 56/250.40M	40	250	230M	326,52
09.00.120	A 80/180XM	1 1/4"	180	230M	277,68
09.00.158	B 80/250.40M	40	250	230M	325,52
09.00.114	A 50/180XT	1 1/4"	180	400V	294,32
09.00.152	B 50/250.40T	40	250	400V	312,00
09.00.118	A 56/180XT	1 1/4"	180	400V	325,52
09.00.156	B 56/250.40T	40	250	400V	371,28
09.00.122	A 80/180XT	1 1/4"	180	400V	325,52
09.00.160	B 80/250.40T	40	250	400V	371,28
09.00.200	BPH 60/250.40M	40	250	230M	684,32
09.00.202	BPH 120/250.40M	40	250	230M	699,32
09.00.204	BPH 60/280.50M	50	280	230M	759,20
09.00.206	BPH 60/340.65M	65	340	230M	875,68
09.00.300	BMH 30/250.40T	40	250	400V	563,68
09.00.302	BPH 60/250.40T	40	250	400V	664,56
09.00.304	BPH 120/250.40T	40	250	400V	681,20
09.00.310	BMH 30/280.50T	50	280	400V	664,56
09.00.312	BMH 60/280.50T	50	280	400V	799,76
09.00.314	BPH 60/280.50T	50	280	400V	708,24
09.00.316	BPH 120/280.50T	50	280	400V	834,08
09.00.338	BPH 180/280.50T	50	280	400V	891,28
09.00.320	BMH 30/340.65T	65	340	400V	821,60
09.00.322	BMH 60/340.65T	65	340	400V	851,76
09.00.324	BPH 60/340.65T	65	340	400V	849,68
09.00.326	BPH 120/340.65T	65	340	400V	919,36
09.00.328	BPH 150/340.65T	65	340	400V	948,48
09.00.340	BPH 180/340.65T	65	340	400V	980,72
09.00.330	BMH 30/360.80T	80	360	400V	956,80
09.00.332	BMH 60/360.80T	80	360	400V	979,68
09.00.334	BPH 120/360.80T	80	360	400V	1.073,28
09.00.336	BPH 150/360.80T	80	360	400V	1.105,52
09.00.342	BPH 180/360.80T	80	360	400V	1.142,96

98



98



CIRCULADORAS DE CALEFACCION DOBLES (Rotor húmedo)

CODIGO	ARTICULO	Bocas o racor	Distancia ent./bocas	Tensión	Euros
09.10.100	D 50/250.40T3	40	250	400V	590,72
09.10.102	D 56/250.40T3	40	250	400V	707,20
09.10.104	D 80/250.40T3	40	250	400V	708,24
09.10.106	DMH 30/250.40T	40	250	400V	1.066,00
09.10.108	DPH 60/250.40T	40	250	400V	1.261,52
09.10.110	DPH 120/250.40T	40	250	400V	1.293,76
09.10.112	DMH 30/280.50T	50	280	400V	1.261,52
09.10.114	DMH 60/280.50T	50	280	400V	1.521,52
09.10.116	DPH 60/280.50T	50	280	400V	1.357,20
09.10.118	DPH 120/280.50T	50	280	400V	1.582,88
09.10.138	DPH 180/280.50T	50	280	400V	1.684,80
09.10.120	DMH 30/340.65T	65	340	400V	1.563,12
09.10.122	DMH 60/340.65T	65	340	400V	1.616,16
09.10.124	DPH 60/340.65T	65	340	400V	1.614,08
09.10.126	DPH 120/340.65T	65	340	400V	1.749,28
09.10.128	DPH 150/340.65T	65	340	400V	1.801,28
09.10.140	DPH 180/340.65T	65	340	400V	1.853,28
09.10.130	DMH 30/360.80T	80	360	400V	1.818,92
09.10.132	DMH 60/360.80T	80	360	400V	1.862,64
09.10.134	DPH 120/360.80T	80	360	400V	2.037,36
09.10.136	DPH 150/360.80T	80	360	400V	2.098,72
09.10.142	DPH 180/360.80T	80	360	400V	2.152,80

99



CIRCULADORAS ROTOR SECO (Calef.-Refrig., A.C.S.)

CODIGO	ARTICULO	Bocas o racor	Distancia ent./bocas	Tensión	Euros
09.90.500	ALM-200M	1"	180	230M	377,52
09.90.504	ALP-800M	1"	180	230M	327,60
09.90.508	ALM-500M	1 1/4"	250	230M	443,04
09.90.512	ALP-2000M	1 1/4"	250	230M	448,24
09.90.502	ALM-200T	1"	180	230/400V	333,84
09.90.506	ALP-800T	1"	180	230/400V	289,12
09.90.510	ALM-500T	1 1/4"	250	230/400V	399,36
09.90.514	ALP-2000T	1 1/4"	250	230/400V	405,60

CIRCULADORAS DE CALEFACCION SIMPLES (Rotor seco)

99



CODIGO	ARTICULO	Bocas o racor	Distancia ent./bocas	Tensión	Euros
09.90.550	KLM 40/300M	40	250	220 M	547,04
09.90.552	KLM 40/300T	40	250	220/380T	496,08
09.90.554	KLP 40/600M	40	250	220 M	547,04
09.90.556	KLP 40/600T	40	250	220/380T	496,08
09.90.558	KLP 40/900M	40	250	220 M	547,04
09.90.560	KLP 40/900T	40	250	220/380T	496,08
09.90.562	KLP 40/1200M	40	250	220 M	580,32
09.90.564	KLP 40/1200T	40	250	220/380T	529,36
09.90.566	KLM 50/300M	50	280	220 M	817,44
09.90.568	KLM 50/300T	50	280	220/380T	755,04
09.90.570	KLM 50/600M	50	280	220 M	817,44
09.90.572	KLM 50/600T	50	280	220/380T	755,04
09.90.574	KLP 50/900M	50	280	220 M	835,12
09.90.576	KLP 50/900T	50	280	220/380T	797,68
09.90.578	KLP 50/1200M	50	280	220 M	835,12
09.90.580	KLP 50/1200T	50	280	220/380T	797,68

SUMINISTRAMOS CUALQUIER MODELO WILO, GRUNDFOS, PERFECTA, ETC.

CIRCULADORAS ROTOR SECO (Calef.-Refrig., A.C.S.)

99



CODIGO	ARTICULO	Bocas o racor	Distancia ent./bocas	Tensión	Euros
09.90.582	KLM 65/300T	65	340	230 / 400V	763,36
09.90.584	KLM 65/600T	65	340		763,36
09.90.586	KLP 65/900T	65	340		840,32
09.90.588	KLP 65/1200T	65	340		840,32
09.90.590	KLM 80/300T	80	360		771,68
09.90.592	KLM 80/600T	80	360		812,24
09.90.594	KLP 80/900T	80	360		1.027,52
09.90.596	KLP 80/1200T	80	360		1.027,52
09.90.700	CM 65/550T	65	475		860,08
09.90.702	CM 65/650T	65	475		868,40
09.90.704	CM 65/850T	65	475		1.092,00
09.90.706	CM 65/960T	65	475		1.109,68
09.90.708	CM 65/1280T	65	475		1.356,16
09.90.710	CM 65/1400T	65	475		1.370,72
09.90.712	CM 80/560T	80	525		1.166,88
09.90.714	CM 80/650T	80	525		1.187,68
09.90.716	CM 80/900T	80	525		1.518,40
09.90.718	CM 80/980T	80	525		1.529,84
09.90.720	CM 80/1200T	80	525	1.536,08	
09.90.722	CM 80/1330T	80	525	1.666,08	
09.90.724	CM 80/1500T	80	525	1.753,44	
09.90.726	CM 100/350T	100	550	1.069,12	
09.90.728	CM 100/550T	100	550	1.381,12	
09.90.730	CM 100/750T	100	550	1.666,08	
09.90.732	CM 100/950T	100	550	1.695,20	
09.90.734	CM 100/1500T	100	550	2.199,60	
09.90.736	CM 100/1800T	100	550	3x400V	2.798,64
09.90.738	CM 100/2000T	100	550	3x400V	3.155,36
09.90.740	CM 125/880T	125	630	230/400V	2.444,00
09.90.742	CM 125/1500T	125	630	3x400V	2.824,64
09.90.744	CM 125/2400T	125	630		4.001,92
09.90.746	CM 150/1000T	150	690		2.919,28
09.90.748	CM 150/1250T	150	690		3.120,00
09.90.750	CM 150/1700T	150	755		4.248,40
09.90.752	CM 150/2100T	150	755		4.440,80
09.90.754	CM 150/2350T	150	755		5.442,32
09.90.800	CP 40/1900T	40	390		230/400V
09.90.802	CP 40/2300T	40	390	807,04	
09.90.804	CP 40/2700T	40	390	824,72	
09.90.806	CP 40/3500T	40	390	886,08	
09.90.808	CP 50/2200T	50	425	871,52	
09.90.810	CP 50/2600T	50	425	924,56	
09.90.812	CP 50/3100T	50	425	959,92	
09.90.814	CP 50/4100T	50	425	1.101,36	

RACORES PARA CIRCULADORAS

CODIGO	ARTICULO	Euros
09.20.120	KIT DE RACORES 1" LATON	9,36
09.20.110	KIT DE RACORES 1 1/4" HF	15,60

CIRCULADORAS DE AGUA CALIENTE SANITARIA (Rotor húmedo)

100



CODIGO	ARTICULO	CV	Euros
09.15.104	S - 16/150 (DAB) 1"	150	225,68
09.15.100	S - 35/150 (DAB) 1"	150	234,00
09.15.102	S - 65/150 (DAB) 1"	150	242,32
09.94.601	Z - 15	94	Consultar
09.94.604	Z - 20	140	Consultar
09.94.605	Z - 25M	180	Consultar
09.94.606	Z - 25T	180	Consultar
09.94.607	Z - 30M	180	Consultar
09.94.608	Z - 30T	180	Consultar

101



BOMBA MANUAL DE PRUEBA

Serie PH

CODIGO	ARTICULO	Euros
06.66.100	PR-40	254,80

101



BOMBA ELECTRICA DE COMPROBACIÓN + HIDROLIMPIADORA

CODIGO	ARTICULO	kW	Euros
06.10.180	Cleaner TSS-B	0,4	457,60



HIDROLIMPIADORA ALTA PRESION PROFESIONAL

Serie HEAVY

CODIGO	ARTICULO	Euros
06.10.918	K400T-TS (11 L/m. 150 bar)	997,36