



GEZE SECULOGIC EMERGENCY EXIT SYSTEM  
SAFETY IN EMERGENCY EXITS



**CONTENTS**

Preface: Safety first	<b>4</b>
GEZE Door control unit TZ 300	<b>6</b>
GEZE Door control unit TZ 320	<b>7</b>
GEZE Door control unit TZ 320 with KL 220 terminal box	<b>9</b>
GEZE Control panel unit TE 220/TTE 220	<b>9</b>
Accessories	<b>10</b>
Overview of switch product range	<b>11</b>



### Reliable, proven safety

Rescue route systems save lives. This must be a one hundred percent surety. Stringent requirements are thus not only sensible, but also a necessary quality assessment. In this context, GEZE SecuLogic rescue route systems comply with the EltVTR directive, the „Directive on electronic locking systems for doors in rescue routes“ of the Deutsches Institute für Bautechnik (German Institute for Building Technology) and DIN EN 13637.

### Highly modern technology for more functions

Modular bus technology, cordless parameterisation via infrared, simple and quick installation: These are the invisible yet important technical details that constitute the quality and safety of the GEZE SecuLogic rescue route system. At the same time, they ensure a comprehensive performance range. This begins with individual programming using variable display and signalling options and goes on to the convenient visualisation and control of an air lock system.

### Systems grow - so does the GEZE SecuLogic emergency exit system

Every building has its own safety concept: Fire or alarm systems, access control, door closing systems, escape door openers or even motor locks are just a few of the many variants that can be encompassed by such a building management system concept.

It must be possible to integrate such components into the rescue route system at any time without appreciable expenditure. It therefore must grow with your requirements and reinforce your planning safety.

For the GEZE SecuLogic rescue route system, for example, this is guaranteed by the KL 220 terminal box, the TE 220/TTE220 control panel unit and the VAT 220 SN control software (virtual display and operating control panel).

### Also a matter of design


Simply technology? No. In our opinion, such functionally and technically perfected products must also have a compelling design and be easy to use. That is why the new TZ 320 door control units are introduced as a concealed version in the design of the widespread and popular switch programmes 55 of the brand manufacturers, such as Berker, Feller, Gira, Jung and Merten.

### When things get serious

At this moment, there can be only one motto for operating the door control units and doors on site: Clarity. Everything must be clearly recognisable and quick to operate. No ifs or buts.

GEZE SecuLogic rescue route systems put this into practical use: An emergency button with a broad, can't-be-missed actuation area, an illuminated emergency sign and clear acoustical and optical signals are reliable helpers in an emergency at any time.

As we mentioned before: Safety first - and for GEZE this goes hand in hand with design and convenience.



## GEZE Door control unit TZ 300

Door control units are the “brain” of an efficient escape route system. They secure and monitor opening and closing actions of doors in escape routes and ensure that buildings can be evacuated in seconds.

The single-door control unit TZ 300 is the entry model without networking, for simple applications in smaller buildings. The sophisticated, yet robust design, minimum dimensions and individual colour harmoniously fit into any building design. A resistant escape route sign integrated in the switch design optimises awareness of it and therefore reduces the risk of vandalism. The flat palm button can be quickly and reliably operated by anyone, even in panic situations. It enables reliable release of the illuminated emergency pushbutton.



GEZE Door control unit TZ 300 concealed version

### Simple installation and planning flexibility

Thanks to the pre-assembled connection from the control unit to the key-operated switch and the emergency pushbutton already integrated in the control unit, the TZ 300 is easy to install. Connection errors are virtually excluded from the outset. The coloured installation terminals also minimise the sources of errors and ensure clarity. The colouration also means time saved on connecting the system components of the door control unit.

If requirements change or buildings are extended, which require additional functions and networked solutions, the TZ 300 can be replaced at any time by the TZ 320. The same terminal layout of both models with respect to the wiring with the locking element, e.g. with a magnetic clamp or emergency exit opening, enables effortless replacement of the control. The simple installation diagram enables fitters to immediately connect the TZ 300 without prior product instruction. In an emergency, everyone can rely on the door control units from GEZE. They are safety tested in accordance with EltVTR.



GEZE Door control unit TZ 300 surface-mounted version

### Concealed, flush-mounted solutions with the attractive switch product ranges

Due to the small overall depth of the control, the flush-mounted solution of the TZ 300 can be easily and conveniently mounted in a standard flush-type switch box. The three-box solution requires minimum installation effort, as only two elements have to be wired, namely the door control unit with the locking element. All components, such as the escape route sign, the control and the power supply are completely integrated in the flush-type box. There are no resulting projecting components to impair the visual continuity of the building. Available in the design of the leading “55” switch product ranges, e.g. Gira, the flush-mounted version of the TZ 300 adapts to the existing switch design in the building.

### Surface-mounted solutions – not only for retrofitting

The surface-mounted TZ 300 is the simplest and most uncomplicated option for securing a door. It is a welcome solution for building retrofits or for concrete or steel façades. The rounded housing of the control unit with integrated emergency sign contains all the functional elements. Compact and with dimensions of only 77x197x90 mm (b/h/d), the surface-mounted version requires very little space for installation and is ideal if there is limited available space on the door. The two-piece housing with mounting plate and control enables pre-assembly and installation without any other previous knowledge. If necessary, assembly groups are easily replaced.

## Order information

Description	Finish	Version	ID No.
GEZE Door control unit TZ 300	concealed	TZ 300 SN, UP, Gira E2	138324
		TZ 300 UP	136572
	surface-mounted	TZ 300 SN AP	136573
		TZ 300 S AP	136574

## GEZE Door control unit TZ 320

The TZ 320 door control unit secures and monitors the opening and closing procedures of escape doors in rescue routes. The escape door is unlocked directly on site (emergency button) or indirectly (signal through connected safety components, such as smoke detectors or alarm systems).

The TZ 320 adapts to the different requirements of any route concept. Among other things, this is ensured by the individually selectable construction (1, 2 or 3 boxes) and its uncomplicated function as air lock system. With a new design, easy installation and operation and with convenient control functions, it is not just the latest state-of-the-art technology but it also satisfies all of the requisite safety regulations.



GEZE Door control unit TZ 320 concealed version

### Product features

- Flexible concept: Available as individually adapted 3, 2 or 1 box solution
- Available as concealed or exposed version
- Concealed version: Suitable for all switch programmes 55, such as Berker, Feller, Gira, Jung and Merten
- Appealing design
- Numerous inputs and outputs for more functions
- Easy assembly through clearly separated connections
- Parameters are set using the ST 220 service terminal
- Operation through integrated power unit
- Complies with EltVTR, DIN EN 13637
- Fully compatible with the predecessor version TZ 220



GEZE Door control unit TZ 320 surface-mounted version

### Range of applications

- Monitors escape doors with network functions
- Controls air locks in the course of escape routes



Key-operated switch

### Key-operated switch

- With key switch cover in switch programmes
- Tamper-proof
- Colours: anthracite and white
- Similar to figure



Emergency sign

### Emergency sign

- Optionally illuminated or non-illuminated
- Simple connection via ribbon cable
- Additional adhesive frame for 70 x 70 mm




Emergency button

### Emergency button

- Protrudes clearly and is illuminated: thus noticeable, easy to reach and can be securely triggered
- Also easy to operate for users with limited movement
- Three LED displays: Lock, door release and alarm
- Integrated timer: Start/end times and weekdays can be adjusted
- Volume adjustable up to 100 dB
- Tamper-proof

GEZE Door control unit TZ 320 system structure



Combinations

The TZ 320 is flexible. Its comprehensive connection and control possibilities enable convenient expansion to a network. Examples of connectable components are:

- Access control system (ZuKo)
- Door opener/motor lock (IQ Lock EL)
- Burglar alarm system (EMA)
- Fire alarm system (BMA)

This also includes the co-ordination and management of the closing and opening procedures of several (escape) doors ("air lock regulation"). The optional ST 220 service terminal or even a PC (with infrared adapter) makes this possible.

Order information

Description	Finish	ID No.
<b>Surface-mounted version</b>		
GEZE Door control unit TZ 320 BSN	with illuminated emergency buttons information sign	green 130345
		white aluminium 131131
GEZE Door control unit TZ 320 SN	with non-illuminated emergency buttons information sign	green 130346
		white aluminium 131133
<b>Concealed version</b>		
GEZE Door control unit TZ 320 BSN	3-fold Jung AS500	white 131124
	3-fold Jung LS990	stainless steel 131128
	3-fold Gira E2 w	white 131162
	3-fold Gira E2 a	anthracite 131163
GEZE Door control unit TZ 320 SN	2-fold Jung AS500	white 131126
	2-fold Jung LS990	stainless steel 131130
	2-fold Gira E2 w	white 131166
	2-fold Gira E2 w	anthracite 131167

Further colours and switch manufacturers upon request.

## GEZE Door control unit TZ 320 with KL 220 terminal box

More inputs and outputs, more possibilities: Together with the KL 220 terminal box it is possible to use the TZ 320 door control unit even more intensively: The additional inputs and outputs of the terminal box make it possible to connect more devices, which means the range of use can be expanded by, e.g. revolving door drives, fire alarm systems or burglar alarm systems. The associated terminal box is connected to an intra-system bus. This provides an own, more powerful power unit, additionally parameterisable inputs and outputs and thus greater possibilities for use. The matching design for the widespread switch programmes 55 complements the profile.



GEZE Door control unit TZ 320 with KL 220 terminal box

### Product features

- Variable: 5 inputs, 6 outputs
- Available as concealed or exposed design; can be also installed in the hood attachment of a revolving door drive
- Forwarding of: alarm, locked/open condition, door latch activation, bolt extended
- System is set using the ST 220 service terminal

### Range of applications

- Monitors escape doors in rescue route systems with greater system component requirement
- Controls air locks in the course of escape routes

### Combinations

The terminal box increases the number of parameterisable input and output. This provides system components with more utilisation and connection possibilities.

## Order information

Description	Finish	ID No.
GEZE Terminal box KL 220	surface-mounted	087262
	concealed	089317
Installation set for TSA 160 NT		093661

## GEZE Control panel TE 220/TTE 220

The TE 220/TTE 220 is a convenient control section to lock or unlock several doors (up to 15). Not only is it possible to specify the duration of the locking/unlocking (short or permanent unlocking), but doors can be also collected into groups and thus controlled jointly. The optional emergency button can be used to centrally release the doors.



GEZE Control panel unit TE 220 wall control panel

### Product features

- Optionally as wall or table control panel
- Optionally with emergency button to unlock all connected doors
- With key-operated switch to block unauthorised access
- Display of alarm or door condition
- Modular construction:  
Master and slave control panel(s) with task distribution control/display; easily expandable
- System is set using the ST 220 service terminal

### Range of applications

- Controls and manages up to 15 escape doors, individually or in groups



GEZE Control panel unit TE 220 table control panel

## Order information

Description	Finish			ID No.
GEZE Control panel	TE 220	wall control panel		098283
	TTE 220	table control panel		125920
GEZE Master panel	MTA 220	master control panel		089358
<b>Optional plug-in units</b>				
GEZE Slave panel	NTA 220	to control	emergency off -button	098276
	STA 220 - RWS		emergency exit system	098359
	STA 220 - AUT		automatic doors	118592
	STA 220 - DOOR		door technology	118593
	STA 220 - WIN		RWA and window technology	118594
	STA 220 - UNI		universally e.g. for illumination	118595

## Accessories

### GEZE display indicator board VAT 220 SN

The VAT 200 SN visualisation software permits the concurrent control and operation of over 250 doors (distributed across 4 bus systems). The VAT 220 SN can function as a central as well as a parallel control section. A maximum of 63 doors can be connected to each of the 4 bus systems. Additional TE 220/TTE 220 control panel units can be connected, thus setting up more control sections.

A classical server-client relationship is eliminated, because the VAT 220 SN can conveniently control all of the doors of the system centrally without having to detour over servers. Moreover, thanks to the OPC interface (see box on the left), easy communication between devices from different manufacturers is guaranteed



GEZE display indicator board VAT 220 SN

#### Product features

- Scalable up to 252 doors
- Clear, easy to operate user interface
- Central locking and unlocking of all doors without the necessity of a server system
- With OPC interface and OPC certified
- Display of alarm or door condition
- Password protection
- Individual control possibilities:
  - specific locking and unlocking of all as well as individual doors
  - unlocking of all connected doors via central emergency button
  - operation memory with record function

#### Range of applications

- Large buildings, e.g. shopping malls, hotel complex or hospitals
- Multi-door systems at several levels

#### OPC = OLE for Process Control

Software interface for secure data exchange of industrial bus systems and protocols of different manufacturers such as in automation technology. GEZE uses OPC in rescue route systems in order to transmit data to higherlevel building systems..

## Order information

Description	ID No.
GEZE display indicator board VAT 220 SN	093661

## Accessories

### GEZE Service terminal ST 220

Mobile, handy, uncomplicated: Use the ST 200 service terminal to set all of the parameters and functions of all components of the rescue route system: the door control unit 320, the terminal box KL 220 and the control panel unit TE 220/TTE 220.

The integrated infrared interface of the ST 200 communicates over the corresponding interfaces in the rescue route system components.



GEZE Service terminal ST 220

#### Product features

- Handy, because of compact dimensions: 80 x 125 x 37 mm (W x H x D)
- Large, illuminated display with clear text display
- Read-out function for maintenance and diagnostic tasks
- Battery operation with 4 micro cells
- Automatic cut-off
- Protection class IP 40
- Colour: Green-blue (similar to RAL 5020)



GEZE Rack for escape route sign

#### Order information

Description	ID No.
GEZE Service terminal ST 220	087261
GEZE surface-mounted rack for escape route information sign	089361

## Overview of switch product range



Feller Switches

For further information regarding the switches at company Feller, please ask:

GEZE Schweiz AG  
 Bodenackerstrasse 79  
 4657 Dulliken  
 Tel. +41-(0)62-2855400  
 Fax +41-(0)62-2855401  
 E-Mail: schweiz.ch@geze.com



Gira Switches

#### Order information

Description	Finish	ID No.	
Gira E2 w	2-fold	for GEZE door control unit TZ 320 SN	131166
	3-fold	for GEZE door control unit TZ 320 BSN	131162
Gira E2 a	2-fold	for GEZE door control unit TZ 320 SN	131167
	3-fold	for GEZE door control unit TZ 320 BSN	131163



Jung Switches

#### Bestellinformation

Description	Finish	ID No.	
Jung AS 500	2-fold	for GEZE door control unit TZ 320 SN	131126
	3-fold	for GEZE door control unit TZ 320 BSN	131124
Jung LS 990	2-fold	for GEZE door control unit TZ 320 SN	131130
	3-fold	for GEZE door control unit TZ 320 BSN	131128

Can also be integrated into the systems of the following brand manufacturers:

- Berker: B1, B3, B7, S1
- Merten: System M

GEZE cannot supply the associated frames.

**GEZE GmbH**  
**P.O. Box 1363**  
**71226 Leonberg**  
**Germany**

GEZE Service GmbH NL Südwest  
 Reinhold-Vöster-Straße 25  
 71229 Leonberg  
 Tel. +49 (0) 7152-92 33 34

**GEZE GmbH**  
**Reinhold-Vöster-Straße 21-29**  
**71229 Leonberg**  
**Germany**  
**Telefon +49 (0) 7152-203-0**  
**Telefax +49 (0) 7152-203-310**

GEZE Service GmbH NL Nord-Ost  
 Bühringstraße 8  
 13086 Berlin (Weissensee)  
 Tel. +49 (0) 30-47 02 17 32

**www.geze.com**

GEZE Service GmbH NL West  
 Nordsternstraße 65  
 45329 Essen  
 Tel. +49 (0) 201-8 30 82 16

**Germany**  
 GEZE Sonderkonstruktionen GmbH  
 Planken 1  
 97944 Boxberg-Schweigern  
 Tel. +49 (0) 7930-9294-0  
 Fax +49 (0) 7930-9294-10  
 E-Mail: sk.de@geze.com

GEZE Service GmbH NL Mitte  
 Adenauerallee 2  
 61440 Oberursel  
 Tel. +49 (0) 6171-63 61 03

GEZE GmbH  
 Niederlassung Nord/Ost  
 Bühringstraße 8  
 13086 Berlin (Weissensee)  
 Tel. +49 (0) 30-47 89 90-0  
 Fax +49 (0) 30-47 89 90-17  
 E-Mail: berlin.de@geze.com

GEZE Service GmbH NL Süd  
 Keltnering 10  
 85658 Eggening  
 Tel. +49 (0) 8095-87 13 61

**Austria**  
 GEZE Austria GmbH  
 Mayrwiesstraße 12  
 5300 Hallwang b. Salzburg  
 Tel. +43-(0)662-663142  
 Fax +43-(0)662-663142-15  
 E-Mail: austria.at@geze.com

GEZE GmbH  
 Niederlassung West  
 Nordsternstraße 65  
 45329 Essen  
 Tel. +49 (0) 201-83082-0  
 Fax +49 (0) 201-83082-20  
 E-Mail: essen.de@geze.com

**Baltic States**  
 GEZE GmbH Baltic States office  
 Dzelzavas iela 120 S  
 1021 Riga  
 Tel. +371 (0) 67 89 60 35  
 Fax +371 (0) 67 89 60 36  
 E-Mail: office-latvia@geze.com

GEZE GmbH  
 Niederlassung Mitte  
 Adenauerallee 2  
 61440 Oberursel (b. Frankfurt)  
 Tel. +49 (0) 6171-63610-0  
 Fax +49 (0) 6171-63610-1  
 E-Mail: frankfurt.de@geze.com

**Benelux**  
 GEZE Benelux B.V.  
 Leemkuil 1  
 Industrierrein Kapelbeemd  
 5626 EA Eindhoven  
 Tel. +31-(0)40-26290-80  
 Fax +31-(0)40-26 290-85  
 E-Mail: benelux.nl@geze.com

GEZE GmbH  
 Niederlassung Süd  
 Reinhold-Vöster-Straße 21-29  
 71229 Leonberg  
 Tel. +49 (0) 7152-203-594  
 Fax +49 (0) 7152-203-438  
 E-Mail: leonberg.de@geze.com

**Bulgaria**  
 GEZE Bulgaria - Trade  
 Representative Office  
 61 Pirinski Prohod, entrance „B“,  
 4th floor, office 5,  
 1680 Sofia  
 Tel. +359 (0) 24 70 43 73  
 Fax +359 (0) 24 70 62 62  
 E-Mail: office-bulgaria@geze.com

**China**  
 GEZE Industries (Tianjin) Co., Ltd.  
 Shuangchenzhong Road  
 Beichen Economic Development  
 Area (BEDA)  
 Tianjin 300400, P.R. China  
 Tel. +86(0)22-26973995-0  
 Fax +86(0)22-26972702  
 E-Mail: Sales-info@geze.com.cn

GEZE Industries (Tianjin) Co., Ltd.  
 Branch Office Shanghai  
 Unit 25N, Cross Region Plaza  
 No 899, Ling Ling Road,  
 XuHui District  
 200030 Shanghai, P.R. China  
 Tel. +86 (0)21-523 40 960  
 Fax +86 (0)21-644 72 007  
 E-Mail: chinasales@geze.com.cn

GEZE Industries (Tianjin) Co., Ltd.  
 Branch Office Guangzhou  
 Room 17C3  
 Everbright Bank Building, No.689  
 Tian He Bei Road  
 510630 Guangzhou  
 P.R. China  
 Tel. +86(0)20-38731842  
 Fax +86(0)20-38731834  
 E-Mail: chinasales@geze.com.cn

GEZE Industries (Tianjin) Co., Ltd.  
 Branch Office Beijing  
 Rm3A02, Building 3  
 ZhuBang 2000 Business Plaza  
 No.98, Balizhuang xili  
 Chaoyang District  
 100025 Beijing, P.R.China  
 Tel. +86 (0)10-8797 5177 /-78  
 Fax +86 (0)10-8797 5171  
 E-Mail: chinasales@geze.com.cn

**France**  
 GEZE France S.A.R.L.  
 ZAC de l'Orme Rond  
 RN 19  
 77170 Servon  
 Tel. +33-(0)1-606260-70  
 Fax +33-(0)1-606260-71  
 E-Mail: france.fr@geze.com

**Hungary**  
 GEZE Hungary Kft.  
 Bartók Béla út 105-113.  
 Budapest  
 H-1115  
 Tel. +36 (1) 481 4670  
 Fax +36 (1) 481 4671  
 E-Mail: office-hungary@geze.com

**Iberia**  
 GEZE Iberia S.R.L.  
 Pol. Ind. El Pla  
 C/Comerc, 2-22, Nave 12  
 08980 Sant Feliu de Llobregat  
 (Barcelona)  
 Tel. +34(0)9-02194036  
 Fax +34(0)9-02194035  
 E-Mail: info@geze.es

**India**  
 GEZE India Private Ltd.  
 MF 2 & 3, Guindy Industrial Estate  
 Ekkattuthangal  
 Chennai 600 097  
 Tamilnadu  
 Tel. +91 44 3061 6900  
 Fax +91 44 3061 6901  
 E-Mail: office-india@geze.com

**Italy**  
 GEZE Italia Srl  
 Via Giotto, 4  
 20040 Cambiago (MI)  
 Tel. +3902950695-11  
 Fax +3902950695-33  
 E-Mail: italia.it@geze.com

GEZE Engineering Roma Srl  
 Via Lucrezia Romana, 91  
 00178 Roma  
 Tel. +3906-7265311  
 Fax +3906-72653136  
 E-Mail: roma@geze.biz

**Poland**  
 GEZE Polska Sp.z o.o.  
 ul. Annapol 21  
 03-236 Warszawa  
 Tel. +48 (0)22 440 4 440  
 Fax +48 (0)22 440 4 400  
 E-Mail: geze.pl@geze.com

**Romania**  
 GEZE Romania s.r.l.  
 IRIDE Business Park,  
 Str. Dimitrie Pompeiu nr. 9- 9a,  
 Building 10, Level 2, Sector 2,  
 020335 Bucarest  
 Tél. : +40 (0) 21 25 07 750  
 Fax : +40 (0) 21 25 07 750  
 Email : office-romania@geze.com

**Russian Federation**  
 GEZE GmbH Representative  
 Office Russia  
 Kolodesnij pereulok3, str. 25  
 Office Nr. 5201-5203  
 107076 Moskau  
 Tel. +7 (0) 49 55 89 90 52  
 Fax +7 (0) 49 55 89 90 51  
 E-Mail: office-russia@geze.com

**Scandinavia – Sweden**  
 GEZE Scandinavia AB  
 Mallslingan 10  
 Box 7060  
 18711 Täby, Sweden  
 Tel. +46(0)8-7323-400  
 Fax +46(0)8-7323-499  
 E-Mail: sverige.se@geze.com

**Scandinavia – Norway**  
 GEZE Scandinavia AB avd. Norge  
 Industriveien 34 B  
 2073 Dal  
 Tel. +47(0)639-57200  
 Fax +47(0)639-57173  
 E-Mail: norge.se@geze.com

**Scandinavia – Finland**  
 Branch office of GEZE Scandinavia AB  
 Herralantie 824  
 Postbox 20  
 15871 Hollola  
 Tel. +358(0)10-4005100  
 Fax +358(0)10-4005120  
 E-Mail: finland.se@geze.com

**Scandinavia – Denmark**  
 GEZE Danmark  
 Branch office of GEZE Scandinavia AB  
 Høje Taastrup Boulevard 53  
 2630 Taastrup  
 Tel. +45(0)46-323324  
 Fax +45(0)46-323326  
 E-Mail: danmark.se@geze.com

**South Africa**  
 DCLSA Distributors (Pty.) Ltd.  
 118 Richards Drive, Halfway House,  
 Ext 111  
 P.O. Box 7934, Midrand 1685  
 Tel. +27(0)113158286  
 Fax +27(0)113158261  
 E-Mail: info@dclsa.co.za

**Switzerland**  
 GEZE Schweiz AG  
 Bodenackerstrasse 79  
 4657 Dulliken  
 Tel. +41-(0)62-2855400  
 Fax +41-(0)62-2855401  
 E-Mail: schweiz.ch@geze.com

**Turkey**  
 GEZE GmbH Türkiye - İstanbul  
 İrtibat Bürosu  
 Ataşehir Bulvarı, Ata 2/3  
 Plaza Kat: 9 D: 84 Ataşehir  
 Kadıköy / İstanbul  
 Tel. + 90 (0) 21 64 55 43 15  
 Fax + 90 (0) 21 64 55 82 15  
 E-Mail: office-turkey@geze.com

**Ukraine**  
 Repräsentanz GEZE GmbH Ukraine  
 ul. Vikentija Hvoyki, 21,  
 office 151  
 04080 Kiev  
 Tel. +38 (0) 44 49 97 725  
 Fax +38 (0) 44 49 97 725  
 E-Mail: office-ukraine@geze.com

**United Arab Emirates/GCC**  
 GEZE Middle East  
 P.O. Box 17903  
 Jebel Ali Free Zone  
 Dubai  
 Tel. +971(0)4-8833112  
 Fax +971(0)4-8833240  
 E-Mail: geze@emirates.net.ae

**United Kingdom**  
 GEZE UK Ltd.  
 Blenheim Way  
 Fradley Park  
 Lichfield  
 Staffordshire WS13 8SY  
 Tel. +44(0)1543443000  
 Fax +44(0)1543443001  
 E-Mail: info.uk@geze.com

GEZE REPRESENTATIVE