









**∅ 20**  **6204**
**ISO 1537 / DIN 15207-22107 / NF E 53-301**


<b>D</b>	63,5	70	76	89	102	108	114	127	133	152
<b>A</b>	3	3	3	3	3,5	3,5	3,6	4	4	4
<b>K</b>	1	1,08	1,13	1,22	1,43	1,5	1,69	1,90	1,93	2,37


  $\varnothing 133 \times 600 = (\varnothing 63,5 \times 600)$ . **K = 5,2 x 1,93 = 10 Kg.**



		<b>300</b>	<b>400</b>	<b>500</b>	<b>650</b>	<b>800</b>	<b>1000</b>	<b>1200</b>	<b>1400</b>	<b>1600</b>	<b>1800</b>	<b>2000</b>	<b>2200</b>
	L		160	200	250	315	380	465	530	600	670	750	800
	G		168	208	258	323	388	473	538	608	678	758	808
	T		186	226	276	341	406	491	556	626	696	776	826
 Kg. $\varnothing 63,5$			1,7	2	2,4	2,9	3,4	4,1	4,6	5,2	5,7	6,2	6,7




	L	200	250	315	380	465	600	700	800	900	1000	1100	1200
	G	208	258	323	388	473	608	708	808	908	1008	1108	1208
	T	226	276	341	406	491	626	726	826	926	1026	1126	1226
 Kg. $\varnothing 63,5$		2	2,4	2,9	3,4	4,1	5,2	6	6,8	7,6	8,4	8,6	8,8



	L	400	500	600	750	950	1150	1400	1600	1800	2000	2200	2400
	G	408	508	608	758	958	1158	1408	1608	1808	2008	2208	2408
	T	426	526	626	776	976	1176	1426	1626	1826	2026	2226	2426
 Kg. $\varnothing 63,5$		3,5	4,37	5,2	6,4	8	9,6	11,6	13,2	14,8	16,4	16,9	17,4



$\varnothing$ 25		<b>6205</b>		<b>ISO 1537 / DIN 15207-22107 / NF E 53-301</b>						
<b>D</b>	89	102	108	114	133	152	159			
<b>A</b>	3	3,5	3,5	3,6	4	4	5			
<b>K</b>	1	1,16	1,21	1,28	1,54	1,75	2,06			


  $\varnothing 159 \times 600 = (\varnothing 89 \times 600)$ . **K = 7,5 x 2,06 = 15,45 Kg.**





		<b>300</b>	<b>400</b>	<b>500</b>	<b>650</b>	<b>800</b>	<b>1000</b>	<b>1200</b>	<b>1400</b>	<b>1600</b>	<b>1800</b>	<b>2000</b>	<b>2200</b>
	L		160	200	250	315	380	465	530	600	670	750	800
	G		168	208	258	323	388	473	538	608	678	758	808
	T		192	232	282	347	412	497	562	632	702	782	832
 Kg.	$\varnothing$ 89		2,6	3,1	3,6	4,4	5,1	6	6,7	7,5	8,3	9,1	9,9


	L	200	250	315	380	465	600	700	800	900	1000	1100	1200
	G	208	258	323	388	473	608	708	808	908	1008	1108	1208
	T	232	282	347	412	497	632	732	832	932	1032	1132	1232
 Kg.	$\varnothing$ 89	3,1	3,6	4,4	5,1	6	7,5	8,6	9,7	10,8	11,9	12,3	12,7



	L	400	500	600	750	950	1150	1400	1600	1800	2000	2200	2400
	G	408	508	608	758	958	1158	1408	1608	1808	2008	2208	2408
	T	432	532	632	782	982	1182	1432	1632	1832	2032	2232	2432
 Kg.	$\varnothing$ 89	5,3	6,4	7,5	9,2	11,4	13,6	16,4	18,6	20,8	23	23,6	24,6



∅ 25		<b>6305</b>	<b>ISO 1537 / DIN 15207-22107 / NF E 53-301</b>									
<b>D</b>	89	108	133	159								
<b>A</b>	3	3,5	4	5								
<b>K</b>	1	1,20	1,51	2,02								


 ∅159 x 600 = (∅89 x 600). **K = 7,5 x 2,02 = 15,15 Kg.**





		<b>300</b>	<b>400</b>	<b>500</b>	<b>650</b>	<b>800</b>	<b>1000</b>	<b>1200</b>	<b>1400</b>	<b>1600</b>	<b>1800</b>	<b>2000</b>	<b>2200</b>
	L		160	200	250	315	380	465	530	600	670	750	800
	G		168	208	258	323	388	473	538	608	678	758	808
	T		192	232	282	347	412	497	562	632	702	782	832
 Kg.	∅ 89		3	3,5	4,1	4,8	5,5	6,4	7,1	7,9	8,7	9,5	10,3




	L	200	250	315	380	465	600	700	800	900	1000	1100	1200
	G	208	258	323	388	473	608	708	808	908	1008	1108	1208
	T	232	282	347	412	497	632	732	832	932	1032	1132	1232
 Kg.	∅ 89	3,5	4,1	4,8	5,5	6,4	7,9	9	9,7	10,1	12,3	14,5	16,7



	L	400	500	600	750	950	1150	1400	1600	1800	2000	2200	2400
	G	408	508	608	758	958	1158	1408	1608	1808	2008	2208	2408
	T	432	532	632	782	982	1182	1432	1632	1832	2032	2232	2432
 Kg.	∅ 89	5,7	6,8	7,9	9,6	11,8	14	16,8	19	21,2	23,4	25,6	27,8



$\varnothing$ 30		<b>6306</b>	<b>ISO 1537 / DIN 15207-22107 / NF E 53-301</b>									
<b>D</b>	89	108	133	159								
<b>A</b>	3	3,5	4	5								
<b>K</b>	1	1,20	1,45	1,90								


  $\varnothing 159 \times 600 = (\varnothing 89 \times 600)$ . **K = 9,5 x 1,90 = 18,05 Kg.**





		<b>300</b>	<b>400</b>	<b>500</b>	<b>650</b>	<b>800</b>	<b>1000</b>	<b>1200</b>	<b>1400</b>	<b>1600</b>	<b>1800</b>	<b>2000</b>	<b>2200</b>
	L				250	315	380	465	530	600	670	750	800
	G				258	323	388	473	538	608	678	758	808
	T				282	347	412	497	562	632	702	782	832
 Kg. $\varnothing$ 89					4,2	4,9	5,6	6,8	8,4	9,5	10,3	11,1	11,9



	L		250	315	380	465	600	700	800	900	1000	1100	1200
	G		258	323	388	473	608	708	808	908	1008	1108	1208
	T		282	347	412	497	632	732	832	932	1032	1132	1232
 Kg. $\varnothing$ 89			4,2	4,9	5,6	6,8	9,5	10,8	12,2	13,5	14,8	16,1	17,4


	L	400	500	600	750	950	1150	1400	1600	1800	2000	2200	2400
	G	408	508	608	758	958	1158	1408	1608	1808	2008	2208	2408
	T	432	532	632	782	982	1182	1432	1632	1832	2032	2232	2432
 Kg. $\varnothing$ 89		5,9	7,7	9,5	11,5	14,1	16,7	20,3	23,2	26,1	29	31,9	34,8


$\varnothing$ 35		<b>6307</b>	<b>ISO 1537 / DIN 15207-22107 / NF E 53-301</b>								
<b>D</b>	133	159									
<b>A</b>	4	5									
<b>K</b>	1	1,27									


  $\varnothing 159 \times 600 = (\varnothing 133 \times 600)$ . **K = 14,8 x 1,27 = 18,79 Kg.**





	<b>300</b>	<b>400</b>	<b>500</b>	<b>650</b>	<b>800</b>	<b>1000</b>	<b>1200</b>	<b>1400</b>	<b>1600</b>	<b>1800</b>	<b>2000</b>	<b>2200</b>
L					315	380	465	530	600	670	750	800
G					323	388	473	538	608	678	758	808
T					347	412	497	562	632	702	782	832
 Kg. $\varnothing 133$					8,3	10,2	12	13,4	14,8	16,2	17,6	19




L			315	380	465	600	700	800	900	1000	1100	1200
G			323	388	473	608	708	808	908	1008	1108	1208
T			347	412	497	632	732	832	932	1032	1132	1232
 Kg. $\varnothing 133$			8,3	10,2	12	14,8	16,9	18,9	21	23	25	27



L			600	750	950	1150	1400	1600	1800	2000	2200	2400
G			608	758	958	1158	1408	1608	1808	2008	2208	2408
T			632	782	982	1182	1432	1632	1832	2032	2232	2432
 Kg. $\varnothing 133$			14,8	17,9	22	26,1	31,2	35,3	39,4	43,5	47,6	51,7



$\varnothing$ 40		<b>6308</b>	<b>ISO 1537 / DIN 15207-22107 / NF E 53-301</b>									
<b>D</b>	108	159	178	193								
<b>A</b>	3,5	5	5	6								
<b>K</b>	0,76	1	1,01	1,13								

  $\varnothing 108 \times 600 = (\varnothing 159 \times 600)$ . **K = 22,8 x 0,76 = 17,32 Kg.**




		<b>300</b>	<b>400</b>	<b>500</b>	<b>650</b>	<b>800</b>	<b>1000</b>	<b>1200</b>	<b>1400</b>	<b>1600</b>	<b>1800</b>	<b>2000</b>	<b>2200</b>
	L									600	670	750	800
	G									608	678	758	808
	T									632	702	782	832
 Kg.	$\varnothing 159$									22,8	24,9	27,2	27,94

	L						600	700	800	900	1000	1100	1200
	G						608	708	808	908	1008	1108	1208
	T						632	732	832	932	1032	1132	1232
 Kg.	$\varnothing 159$						22,8	25,8	28,7	31,6	34,5	37,5	39,64

	L			600	750	950	1150	1400	1600	1800	2000	2200	2400
	G			608	758	958	1158	1408	1608	1808	2008	2208	2408
	T			632	782	982	1182	1432	1632	1832	2032	2232	2432
 Kg.	$\varnothing 159$			22,8	27,2	33	38,9	46,2	52,1	57,9	63,8	69,6	74,74

$\varnothing$ 50		<b>6310</b>	ISO 1537 / DIN 15207-22107 / NF E 53-301									
<b>D</b>	159	193	193									
<b>A</b>	5	6	8									
<b>K</b>	1	1,28	1,47									

$\varnothing 193 \times 600 = (\varnothing 159 \times 600)$ .  $K = 26,79 \times 1,28 = 34,3 \text{ Kg}$ .



		<b>300</b>	<b>400</b>	<b>500</b>	<b>650</b>	<b>800</b>	<b>1000</b>	<b>1200</b>	<b>1400</b>	<b>1600</b>	<b>1800</b>	<b>2000</b>	<b>2200</b>
	L									600	670	750	800
	G									608	678	758	808
	T									632	702	782	832
	Kg. $\varnothing 159$									26,79	29,21	31,97	33,69


	L						600	700	800	900	1000	1100	1200
	G						608	708	808	908	1008	1108	1208
	T						632	732	832	932	1032	1132	1232
	Kg. $\varnothing 159$						26,79	30,24	33,69	37,14	40,59	44,04	47,49

	L			600	750	950	1150	1400	1600	1800	2000	2200	2400
	G			608	758	958	1158	1408	1608	1808	2008	2208	2408
	T			632	782	982	1182	1432	1632	1832	2032	2232	2432
	Kg. $\varnothing 159$			26,79	31,97	38,87	45,77	54,39	61,29	68,19	75,09	81,99	88,89

$\varnothing$ 60		<b>6312</b>	ISO 1537 / DIN 15207-22107 / NF E 53-301								
<b>D</b>	159	193									
<b>A</b>	5	8									
<b>K</b>	1	1,34									

$\varnothing 193 \times 600 = (\varnothing 159 \times 600)$ .  $K = 33,87 \times 1,34 = 45,38$  Kg.



	<b>300</b>	<b>400</b>	<b>500</b>	<b>650</b>	<b>800</b>	<b>1000</b>	<b>1200</b>	<b>1400</b>	<b>1600</b>	<b>1800</b>	<b>2000</b>	<b>2200</b>
	L								600	670	750	800
	G								608	678	758	808
	T								632	702	782	832
Kg. $\varnothing 159$									33,87	36,76	40,07	42,13

	L					600	700	800	900	1000	1100	1200
	G					608	708	808	908	1008	1108	1208
	T					632	732	832	932	1032	1132	1232
Kg. $\varnothing 159$						33,87	38	42,13	46,26	50,39	54,52	58,65

	L			600	750	950	1150	1400	1600	1800	2000	2200	2400
	G			608	758	958	1158	1408	1608	1808	2008	2208	2408
	T			632	782	982	1182	1432	1632	1832	2032	2232	2432
Kg. $\varnothing 159$			33,87	40,07	48,33	56,59	66,91	75,17	83,43	91,69	99,95	108,21	