

Fixed Dome & Covert Cameras



1/3" D/N Colour Camera, F2.0/6mm Lens
850nm LED Illumination, 380TVL, 0.25Lux

EDP-No.: 91873

VKC-1317/IR

- Weatherproof CCD Colour/B&W Camera
- 1/3" Super HAD CCD Sensor
- Resolution of 380 Horizontal Lines
- 12x of Integrated 850nm IR LED's
- B&W Display at Night Time and IR LED Illumination
- Automatic Shutter Control (AES)
- Automatic White Balance (AWB)
- Internal Synchronization
- Supply Voltage: 12 VDC
- Aluminium Housing with Sunshield
- Mounting Stand with Swivel Head



Specifications:


Imager	1/3" Sony Super HAD Interline Transfer CCD
Active picture elements	Approx. 290,000 (H) 500 x (V) 582
System	CCIR/PAL
Signal processing	Digital (DSP)
Synchronization	Internal
Sensitivity at 50% video signal	0.7Lux at F2.0 (VT measurement result), 0Lux at IR illumination
Horizontal resolution	380 TV lines
Signal-to-noise ratio	50db (AGC OFF)
Automatic gain control (AGC)	Yes
Automatic shutter control (AES)	1/50 to 1/100.000sec.
Aperture Correction (APC)	Horizontal and vertical
Gamma correction	0.45
Integrated lens	F2.0/6mm
Day/Night switching	Automatic switch to b&w signal output at totally dark environment conditions
Illumination	12x LED's. Due to an integrated light sensor the light intensity will be controlled stepless from min. to max., depending from environmental illumination conditions



VKC-1317/IR

Illumination range	Approx. 10m
Window screen	Coated plastic for outdoor use. Clear window section for the lens
External connections	Video (BNC), 12 VDC (DC socket)
Video output	1Vp-p, CVBS, 75ohms, BNC
Supply voltage	12VDC (+/- 10%)
Power consumption	Approx. 2.8watts
Temperature range	-10°C to +50°C
Housing	Aluminium
Sunshield	Included
Kind of mounting	1/4"-20 thread on rear side
Protection rating	IP67
Colour	Silvergray
Dimensions (LxD)	See drawing
Weight	Approx. 310g (incl. stand)

Accessories	
EDP No. / Type	Description
77779	
70443 VT-PS12DC-4	Power Supply 230VAC/12VDC(500mA), stabilized, with DC Plug
40061 H0820M	F2,0/8mm Board Camera Lens, 1/3", M12X0,5



Maße/Dimensions: mm