



## Network Client™

Intellex is the only digital video management system on the market with a single remote management software program that works with every Intellex platform. Install Network Client on any PC with a network connection and you'll have control of every Intellex on your system, no matter how far-flung or decentralized the operation. Simply log in and access a menu just as if you were sitting in front of an Intellex. You can view live video from up to 64 cameras simultaneously, send and receive alarm notifications, and much more. Now, it's easier than ever with our exciting new CCTV keyboard<sup>1</sup> option that gives you the functionality of a virtual matrix.

## Browser Client

Browser Client lets you view live Intellex video through a web browser. This free software package makes it easy for IT administrators to set up a dedicated website to view Intellex video, define which Intellex units to make available for viewing, and set up and administer a group of authorized users.

(1) Feature licensed and sold separately. CCTV keyboard sold separately.

# Intellex® Management Suite

## Discover How Much Intellex Can Do

When you choose an Intellex Digital Video Management System, you'll immediately realize the amazing efficiency that it brings to your security operation. Yet that's only part of the story.

The Intellex Management Suite takes video security to the next level by expanding your ability to centrally manage multiple Intellex systems over a computer network.

These Windows-based products make it easy to remotely manage access, store and secure your surveillance video. With our remote software, you can be virtually everywhere at the same time and never miss an alarm or event.

Our support tools also enable you to:

- Add an extra layer of protection to your video system
- Tighten control over access to video
- Merge video security with IT security
- Archive video to off-site locations and network-attached storage

Of course, video technology isn't static. That's why we never stop working to develop and enhance these tools, offering free downloadable upgrades at our website to keep you at the forefront of innovation.

So add the Intellex Management Suite to your security arsenal and get the versatility to meet every challenge head on.

## Intellex Policy Manager

Intellex Policy Manager provides additional security for a collective network of Intellex units and remote workstations running either Network Client or third party software applications that use the Intellex Application Programming Interface (API). Intellex Policy Manager enables administrators to assign detailed privileges to user and user group accounts for local and remote access to Intellex and Intellex functions.



## Intellex Archive Manager

Intellex Archive Manager works seamlessly with Intellex to manage and organize stored video, audio and text data on network-attached storage (NAS) devices. Easily access and manage network-stored data through Network Client and integrate with Intellex Policy Manager to extend advanced security settings from each camera to the archived video that it has recorded.

# features

## **Network Client**

### **Virtual Matrix**

Gain the functionality of a virtual matrix<sup>2</sup> with our CCTV keyboard-based control option. You'll be able to call tours, sequences and salvos right from your Network Client workstation. You'll also be able to consolidate all cameras and domes in one group with a single consecutive numbering system instead of having to number and arrange them separately by each Intellex on your video security system. One push of a button brings up camera views from any number of Intellex units to simulate a wall of monitors on a single screen.

### **Remote Setup and Management**

Connect and manage an unlimited number of Intellex units via the Internet, WAN, LAN or direct dial-up with a modem. Network Client lets you set up alarm conditions and clear alarms, providing a greater degree of flexibility for remote operation of Intellex systems. You can also use video analysis tools, manage camera selectable frame rates and view activity logging.

### **Organize Cameras, Choose Views**

Organize the cameras and domes on your system just as easily as you would organize files and folders of data on a PC. You can group them by location or room type, such as "lobbies" and "front doors"—however you wish. You can also create configurations that combine views and cameras to monitor live scenes that require routine observation, bookmarking these as your "favorites" for quick recall.

### **Enhanced Remote Search Functions**

Define your search criteria using video analysis tools such as motion exception or advanced text for data mining. Everything you can perform with Smart Search on an Intellex, you can perform remotely with Network Client.

### **Remote Alarm Notifications**

Know the instant an alarm is triggered or generate your own, wherever you are. Network Client can sound the alert with both audio and a flashing icon for every Intellex on your LAN/WAN. Retrieve and review video of the event from any Intellex or Network Client workstation connected to the system.

## **Bandwidth Management: An IT Favorite**

Easily adjust the network bandwidth for video transmission from 10 Kb/sec to 10 MB/sec depending on your specific IT requirements. Schedule automatic downloads during off-hours when few people are using the system and bandwidth is most readily available.

## **Browser Client**

### **Video Surveillance via the Web**

Self-installing plug-in software lets you host live video from one or more Intellex units on a dedicated Microsoft IIS web server. Browser Client is a free web administration package that works with a standard browser interface to allow users to view video footage and control domes from any PC with Internet Explorer. Use password protection to restrict access to authorized personnel only. Your network administrator can also restrict bandwidth consumption by limiting the total number of people able to log onto the website at the same time.

## **Intellex Policy Manager**

### **Bringing Video and IT Security Together**

Intellex Policy Manager integrates video security with IT security. This security management software extends your existing network infrastructure to include digital video without adding new schemes or protocols. Manage and deploy additional security for every Intellex on the network from one central location, restricting local access to certain Intellex units and remote access from workstations that run Network Client or the Intellex API in conjunction with third party software. Every feature is individually securable by user ID and password. You can vary viewing rights for every camera and even restrict access to live or recorded video. Intellex Policy Manager is sold separately.

## **Intellex Archive Manager**

### **Making Video Storage Easy**

Intellex Archive Manager enables you to manage and organize video in remote storage devices, and send duplicated video off-site to a separate unit while retaining the ability to view it later from multiple locations via Network Client. Intellex Archive Manager is sold separately.

(2) Feature licensed and sold separately. CCTV keyboard sold separately.

# take a closer look

## Paving the Road to Integration with the Intellex API

The Intellex API offers a robust set of instructions that third party programmers can use to seamlessly integrate Intellex with other applications. Currently, more than 75 partners use the Intellex API for developing sophisticated and integrated applications. These applications include integration with access control, such as with C•CURE 800® from Software House and EntraPass™ from Kantech, video forensics, virtual matrix functionality, video analytics, transaction monitoring, remote monitoring and more. A powerful snap-in utility allows users to monitor and control their systems from one interface instead of toggling between screens for more seamless integration.

## Basic System Diagram

Use Network Client on a PC wherever there's a network connection to view video from any Intellex or external storage device. Call up every camera and dome with the click of a mouse or add a matrix keyboard to use your system like a virtual matrix. Install Intellex Policy Manager and Intellex Archive Manager on your computer network and expand this functionality to increase security and storage options for your surveillance video. Use Browser Client for impromptu video surveillance over the Internet.



## Model Numbers

### Network Client—Remote Management Software

ADDNSC40 . . . . .	Network Client v4.0, management/config/viewing SW, single license
ADDNSC40UL . . . . .	Network Client v4.0, management/config/viewing SW, unlimited license
ADDNSCVMK . . . . .	Network Client Virtual Matrix/Keyboard license
ADDNSCVMKUL . . . . .	Network Client Virtual Matrix/Keyboard unlimited license
ADDNSCSI . . . . .	Network Client Snap-In Manager license
ADACKBPC2000 . . . . .	Keyboard accessory, keyboard to PC connection kit, for AD2000 series keyboards
ADACKBPCMPC . . . . .	Keyboard accessory, keyboard to PC connection kit, for MegaPower ControlCenter keyboards

### Browser Client—Remote Viewing Software

RDVBC40 . . . . .	Browser Client, remote viewing of live video via web browser
-------------------	--

### Intellex Policy Manager

ADDSPM12U10 . . . . .	Intellex Policy Manager, valid for up to 10 Intellex units, USB port hardware key
ADDSPM12U25 . . . . .	Intellex Policy Manager, valid for up to 25 Intellex units, USB port hardware key
ADDSPM12UUL . . . . .	Intellex Policy Manager, valid for unlimited Intellex units, USB port hardware key
ADDSPMLU1025 . . . . .	Intellex Policy Manager, upgrade from 10 to 25 licenses, requires valid PID for 10 licenses
ADDSPMLU10UL . . . . .	Intellex Policy Manager, upgrade from 10 to unlimited licenses, requires valid PID for 10 licenses
ADDSPMLU25UL . . . . .	Intellex Policy Manager, upgrade from 25 to unlimited licenses, requires valid PID for 25 licenses
ADSMPMU10 . . . . .	Intellex Policy Manager, maintenance agreement for up to 10 Intellex units
ADSMPMU25 . . . . .	Intellex Policy Manager, maintenance agreement for up to 25 Intellex units
ADSMPMUUL . . . . .	Intellex Policy Manager, maintenance agreement for unlimited Intellex units
ADSMPMLU1025 . . . . .	Intellex Policy Manager, maintenance agreement upgrade, 10 to 25 Intellex units
ADSMPMLU10UL . . . . .	Intellex Policy Manager, maintenance agreement upgrade, 10 to unlimited Intellex units
ADSMPMLU25UL . . . . .	Intellex Policy Manager, maintenance agreement upgrade, 25 to unlimited Intellex units
ADSWTCPM . . . . .	Intellex Policy Manager, one day training per person

### Intellex Archive Manager

ADDSAM12U10 . . . . .	Intellex Archive Manager, valid for up to 10 Intellex units, USB port hardware key
ADDSAM12U25 . . . . .	Intellex Archive Manager, valid for up to 25 Intellex units, USB port hardware key
ADDSAM12UUL . . . . .	Intellex Archive Manager, valid for unlimited Intellex units, USB port hardware key
ADDSAMLU1025 . . . . .	Intellex Archive Manager, upgrade from 10 to 25 licenses, requires valid PID for 10 licenses
ADDSAMLU10UL . . . . .	Intellex Archive Manager, upgrade from 10 to unlimited licenses, requires valid PID for 10 licenses
ADDSAMLU25UL . . . . .	Intellex Archive Manager, upgrade from 25 to unlimited licenses, requires valid PID for 25 licenses
ADSMAMU10 . . . . .	Intellex Archive Manager, maintenance agreement for up to 10 Intellex
ADSMAMU25 . . . . .	Intellex Archive Manager, maintenance agreement for up to 25 Intellex
ADSMAMUUL . . . . .	Intellex Archive Manager, maintenance agreement for unlimited Intellex
ADSMAMLU1025 . . . . .	Intellex Archive Manager, maintenance agreement upgrade, 10 to 25 Intellex
ADSMAMLU10UL . . . . .	Intellex Archive Manager, maintenance agreement upgrade, 10 to unlimited Intellex
ADSMAMLU25UL . . . . .	Intellex Archive Manager, maintenance agreement upgrade, 25 to unlimited Intellex

## Minimum System Requirements:

### Network Client

- Minimum Intellex requirements: v3.2/2.6 or higher<sup>3</sup>
- 800 MHz or greater<sup>4</sup> processor that supports Streaming SIMD Extensions (SSE)
- 20 MB hard drive space for software; 10 GB hard drive space (local or networked) for video storage
- 128 MB RAM
- Ethernet 10/100 NIC or dial-up modem
- Video card with 16 MB video RAM, DirectDraw support
- 800 x 600 or higher resolution monitor with 16-bit color
- CD-ROM drive for software installation
- Windows® XP Home, Windows XP Professional, Windows 2000 Professional or Windows NT® 4.0 Server or Workstation (Service Pack 6a)

### Requirements for advanced features, including multi-pane layouts:

- 1.4 GHz or greater Intel® Pentium® 4/Celeron™, AMD Athlon™ (XP or 64) or compatible
- 256 MB RAM
- AGP 8X (0.8V) or AGP 4X (0.8V/1.5V) support
- Video card with 64 MB video RAM, DirectDraw support, and the ability to drive multiple displays with independent resolutions and refresh rates
- DVD playback requires DVD drive
- Serial port is required for CCTV keyboard support

### Browser Client

- Minimum Intellex software requirements: v3.1/2.6 or higher<sup>5</sup>
- .NET Runtime v1.1
- Network Card, 10BaseT or 100BaseT

### Requirements for PC running Browser Client:

- 450 MHz or greater processor that supports Streaming SIMD Extensions (SSE)
- 128 MB RAM
- Windows® 2000, Windows XP
- Microsoft® Internet Explorer v6.0 or higher

(3) To take advantage of the new features of Network Client v4.0, requires Intellex version 4.0 or higher.

(4) 1.4 GHZ or higher is required for advanced features such as multi-pane layouts.

(5) An IP address must be available for each Intellex unit.

### Requirements for a server hosting video for Browser Client:

- 450 MHz or greater processor
- 128 MB RAM
- Windows® 2000 Pro or Server, Windows 2003 Server, Windows XP Pro
- Internet Information Server (IIS) v5.1 or v6.0

### Minimum Network Requirements:

- TCP/IP network for server that hosts video
- TCP/IP or dial-up capability for connectivity to the Browser Client website
- An IP address for each Intellex unit to be made available via the website

### Intellex Policy Manager

- Minimum Intellex software requirements: v3.2/2.6 or higher
- Network using Windows NT® 4.0 domains or Active Directory®
- 800 MHz processor or greater
- 128 MB RAM
- Ethernet 10/100 NIC
- Windows® 2000 Professional or Server, Windows Server 2003, or Windows XP Professional
- All Intellex units being integrated into Intellex Policy Manager must run Intellex v3.2 or higher

### Intellex Archive Manager

- Minimum Intellex software requirements: v3.2/2.6 or higher
- Network using Windows NT® 4.0 domains or Active Directory®
- 800 MHz or greater processor
- 128 MB RAM plus 35 MB per TB of NAS storage used
- Ethernet 10/100 NIC (1000 NIC recommended for NAS)
- Windows® 2000 Professional or Server, Windows Server 2003, or Windows XP Professional
- All Intellex units being integrated into Intellex Archive Manager must run version v3.2 or v2.6 or higher
- All remote workstations accessing Intellex must run Network Client v3.2 or higher; remote applications must use Intellex API v3.2 or higher



Product offerings and specifications are subject to change without notice. Actual products may vary from photos. Not all products include all features. Availability varies by region; contact your sales representative. Certain product names mentioned herein may be trade names and/or registered trademarks of other companies.

© 2006 Sensormatic Electronics Corporation. All rights reserved. AD0007-DS-200601-R01-A4-EN