







CAUDAL®



Accesorios para PVC
Fittings for PVC pipes
Accessoires pour tuyaux en PVC

2003




Medida	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
Código	4TRH20	4TRH25	4TRH32	4TRH40	4TRH50	4TRH63	4TRH75	4TRH90	4TRH110
U/Caja	80	50	50	45	25	25	35	24	14
P.N.	16	16	16	16	16	16	10	10	10

Te 90° Iguales roscar

Tee 90° threaded
Te 90° femelle à visser

Roscar

To thread
Filete



Medida	20	25	32	40	50	63	75	90	110
Código	4T20	4T25	4T32	4T40	4T50	4T63	4T75	4T90	4T110
U/Caja	80	50	50	45	50	25	35	24	14
P.N.	16	16	16	16	16	16	10	10	10


Medida	125	140	160	200	225	250	315
Código	4T125	4T140	4T160	4T200	4T225	4T250	4T315
U/Caja	9	7	5	3	2	1	1
P.N.	10	10	10	10	10	10	10

Te 90° Iguales encolar

Tee 90° glued
Te 90° femelle a coller

Encolar

To glue
A coller




Medida	20-1/2"	25-3/4"	32-1"	40-1 1/4"	50-1 1/2"	63-2"	75-2 1/2"	90-3"	110-4"
Código	4TMX20	4TMX25	4TMX32	4TMX40	4TMX50	4TMX63	4TMX75	4TMX90	4TMX110
U/Caja	80	50	50	45	25	25	35	24	14
P.N.	16	16	16	16	16	16	10	10	10

Te 90° Iguales mixta encolar y roscar

Tee 90° glued-threaded
Te 90° femelle femelle à coller femelle à visser

Mixta

To glue-To thread
A coller-filete



Medida	25-20	32-20	32-25	40-20	40-25	40-32	50-20	50-25	50-32
Código	4TRD2520	4TRD3220	4TRD3225	4TRD4020	4TRD4025	4TRD4032	4TRD5020	4TRD5025	4TRD5032
U/Caja	60	70	70	60	60	50	35	30	30
P.N.	16	16	16	16	16	16	16	16	16

Medida	50-40	63-25	63-32	63-40	63-50	75-32	75-40	75-50	75-63
Código	4TRD5040	4TRD6325	4TRD6332	4TRD6340	4TRD6350	4TRD7532	4TRD7540	4TRD7550	4TRD7563
U/Caja	60	35	35	30	30	45	45	45	35
P.N.	16	16	16	16	16	10	10	10	10


Medida	90-40	90-50	90-63	110-50	110-63	110-75	110-90	125-63	125-75
Código	4TRD9040	4TRD9050	4TRD9063	4TRD11050	4TRD11063	4TRD11075	4TRD11090	4TRD12563	4TRD12575
U/Caja	30	28	24	16	16	16	14	9	9
P.N.	10	10	10	10	10	10	10	10	10

Te 90° reducida encolar

Teducer tee 90° glued
Te 90° reduit à coller

Encolar

To glue
A coller




Medida	20-1/2"	25-3/4"	32-1"	40-1 1/4"	50-1 1/2"	63-2"
Código	4TMXF20	4TMXF25	4TMXF32	4TMXF40	4TMXF50	4TMXF63
U/Caja	140	80	50	70	25	10
P.N.	16	16	16	16	16	16

Te 90° Iguales mixta encolar y roscar reforzada

Tee 90° glued-threaded strengthened
Te 90° femelle femelle à coller femelle à visser avec renfort

Mixta

To glue-To thread
A coller-filete




Medida	25	32	40	50	63
Código	4CR25	4CR32	4CR40	4CR50	4CR63
U/Caja	40	50	40	20	12
P.N.	16	16	16	16	16

Cruz 90° iguales encolar

Cross 90° glued
Croix 90° femelle à coller

Encolar

To glue
A coller




Medida	20	25	32	40	50	63	75	90	110
Código	4CD20	4CD25	4CD32	4CD40	4CD50	4CD63	4CD75	4CD90	4CD110
U/Caja	120	80	80	45	40	40	50	30	17
P.N.	16	16	16	16	16	16	10	10	10

Medida	125	140	160	200	225	250	315		
Código	4CD125	4CD140	4CD160	4CD200	4CD225	4CD250	4CD315		
U/Caja	12	8	5	4	2	1	1		
P.N.	10	10	10	10	10	10	10		

Codo 90° encolar

Elbow 90° glued
Coude 90° à coller

Encolar
To glue
A coller




Medida	20-1/2"	25-3/4"	32-1"	40-1 1/4"	50-1 1/2"	63-2"	75-2 1/4"	90-3"	110-4"
Código	4CDMX20	4CDMX25	4CDMX32	4CDMX40	4CDMX50	4CDMX63	4CDMX75	4CDMX90	4CDMX110
U/Caja	120	60	80	40	40	40	50	30	17
P.N.	16	16	16	16	16	16	10	10	10

Codo 90° mixto encolar y roscar

Elbow 90° glued-threaded
Coude 90° femelle à coller femelle à visser

Mixta
To glue-To thread
A coller-filete




Medida	20-1/2"	25-3/4"	32-1"	40-1 1/4"	50-1 1/2"	63-2"			
Código	4CDMXF20	4CDMXF25	4CDMXF32	4CDMXF40	4CDMXF50	4CDMXF63			
U/Caja	130	60	80	70	35	20			
P.N.	16	16	16	16	16	16			

Codo 90° mixto encolar y roscar reforzado

Elbow 90° glued-threaded strengthened
Coude 90° femelle à coller femelle à visser avec renfort

Mixta
To glue-To thread
A coller-filete




Medida	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
Código	4CDRH20	4CDRH25	4CDRH32	4CDRH40	4CDRH50	4CDRH63	4CDRH75	4CDRH90	4CDRH110
U/Caja	120	80	80	40	40	40	50	30	17
P.N.	16	16	16	16	16	16	10	10	10

Codo 90° roscar

Elbow 90° threaded
Coude 90° femelle a visser

Roscar
To thread
Filete




Medida	20	25	32	40	50	63	75	90	110
Código	4CD4520	4CD4525	4CD4532	4CD4540	4CD4550	4CD4563	4CD4575	4CD4590	4CD45110
U/Caja	130	70	100	80	50	25	65	40	22
P.N.	16	16	16	16	16	16	10	10	10

Medida	125	140	160	200	225	250	315		
Código	4CD45125	4CD45140	4CD45160	4CD45200	4CD45225	4CD45250	4CD45315		
U/Caja	14	8	6	5	4	1	1		
P.N.	10	10	10	10	10	10	10		

Codo 45° encolar

Elbow 45° glued
Coude 45° femelle à coller

Encolar
To glue
A coller




Medida	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
Código	4CDRH4520	4CDRH4525	4CDRH4532	4CDRH4540	4CDRH4550	4CDRH4563	4CDRH4575	4CDRH4590	4CDRH45110
U/Caja	130	70	100	90	55	25	65	40	22
P.N.	16	16	16	16	16	16	16	16	16

Codo 45° roscar

Codo 45° threaded
Coude 45° femelle à visser

Roscar
To thread
Filete


Medida	63	75	90	110	125	140	160	200	225
Código	4MNRP63	4MNRP75	4MNRP90	4MNRP110	4MNRP125	4MNRP140	4MNRP160	4MNRP200	4MNRP225
U/Caja	1	1	1	1	1	1	1	1	1
P.N.	16	10	10	10	10	10	10	10	10



Manguito de reparación con junta elástica

Straight coupling for repair with elastic joint
Jonction pour reparation

Medida	25-20	32-20	32-25	40-20	40-25	40-32	50-32	50-40	63-32
Código	4CQRD2520	4CQRD3220	4CQRD3225	4CQRD4020	4CQRD4025	4CQRD4032	4CQRD5032	4CQRD5040	4CQRD6332
U/Caja	300	200	200	200	200	200	200	200	100
P.N.	16	16	16	16	16	16	16	16	16



Medida	63-40	63-50	75-50	75-63	90-63	90-75	110-63	110-75	110-90
Código	4CQRD6340	4CQRD6350	4CQRD7550	4CQRD7563	4CQRD9063	4CQRD9075	4CQRD11063	4CQRD11075	4CQRD11090
U/Caja	100	100	130	130	80	80	45	45	45
P.N.	16	16	10	10	10	10	10	10	10

Medida	125-110	140-110	140-125	160-110	160-140	200-160	200-180	225-160	225-200
Código	4CQRD125110	4CQRD140110	4CQRD140125	4CQRD160110	4CQRD160140	4CQRD200160	4CQRD200180	4CQRD225160	4CQRD225200
U/Caja	30	24	24	18	18	15	15	15	9
P.N.	10	10	10	10	10	10	10	10	10


Casquillo reducción encolar

Reducer bush glued
Reduction simple mâle-femelle

Encolar

To glue
A collar

Medida	25-20	32-25	40-32	50-40	63-50	75-63	90-75	110-90	125-110
Código	4RDCO2520	4RDCO3225	4RDCO4032	4RDCO5040	4RDCO6350	4RDCO7563	4RDCO9075	4RDCO11090	4RDCO125110
U/Caja	130	200	240	150	130	144	90	44	24
P.N.	16	16	16	16	16	10	10	10	10




Reducción cónica encolar

Reducer conical
Reduction double mâle-femelle ou femelle-femelle

Encolar

To glue
A collar

Medida	20	25	32	40	50	63	75	90	110
Código	4MNX20	4MNX25	4MNX32	4MNX40	4MNX50	4MNX63	4MNX75	4MNX90	4MNX110
U/Caja	180	120	130	80	50	35	100	60	32
P.N.	16	16	16	16	16	16	10	10	10



Medida	125	140	160	200	225	250	315
Código	4MNX125	4MNX140	4MNX160	4MNX200	4MNX225	4MNX250	4MNX315
U/Caja	24	18	9	4	3	1	1
P.N.	10	10	10	10	10	10	10


Manguito unión iguales encolar

Straight coupling glued
Manchon à coller

Encolar

To glue
A collar

Medida	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
Código	4MNRH20	4MNRH25	4MNRH32	4MNRH40	4MNRH50	4MNRH63	4MNRH75	4MNRH90	4MNRH110
U/Caja	150	90	120	100	60	50	120	84	44
P.N.	16	16	16	16	16	16	10	10	10




Manguito unión iguales roscar

Straight coupling threaded
Manchon femelle-femelle à visser

Roscar

To thread
Filete

Medida	20-1/2"	25-3/4"	32-1"	40-1 1/4"	50-1 1/2"	63-2"	75-2 1/2"	90-3"	110-4"
Código	4MNMX20	4MNMX25	4MNMX32	4MNMX40	4MNMX50	4MNMX63	4MNMX75	4MNMX90	4MNMX110
U/Caja	150	90	120	75	70	80	120	75	35
P.N.	16	16	16	16	16	16	10	10	10




Manguito unión mixto encolar-roscar

Straight coupling glued-threaded
Manchon femelle à coller femelle à visser

Mixta

To glue-To thread
A collar-filete

Medida	20-1/2"	25-3/4"	32-1"	40-1 1/4"	50-1 1/2"	63-2"
Código	4MNMXF20	4MNMXF25	4MNMXF32	4MNMXF40	4MNMXF50	4MNMXF63
U/Caja	150	90	120	105	60	40
P.N.	16	16	16	16	16	16




Manguito unión mixto encolar-roscar reforzado

Straight coupling glued-threaded strengthened
Manchon femelle à coller femelle à visser avec renfort

Mixta

To glue-To thread
A collar-filete




Medida	20-1/2"	25-3/4"	32-1"	40-1 1/4"	50-1 1/2"	63-2"	75-2 1/2"	90-3"	110-4"
Código	4TMRM20	4TMRM25	4TMRM32	4TMRM40	4TMRM50	4TMRM63	4TMRM75	4TMRM90	4TMRM110
U/Caja	220	140	80	90	80	50	54	25	32
P.N.	16	16	16	16	16	16	10	10	10

Enlace hembra-macho mixto encolar-roscar

Adaptor bushes glued-threaded
Embout filete

Mixta
To glue-To thread
A collar-filete




Medida	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
Código	4MA20	4MA25	4MA32	4MA40	4MA50	4MA63	4MA75	4MA90	4MA110
U/Caja	200	140	160	140	120	125	168	90	45
P.N.	16	16	16	16	16	16	10	10	10

Machón rosca

Male-male nipple threaded
Mamelon double filete

Roscar
To thread
Filete




Medida	3/4 1/2"	1-3/4"	1-1/4" - 1"	1-1/2" - 1-1/4"	2" - 1-1/2"	2-1/2" - 2"	3" - 2-1/2"	4" - 3"
Código	4MARD25	4MARD32	4MARD40	4MARD50	4MARD63	4MARD75	4MARD90	4MARD110
U/Caja	130	180	100	75	45	110	50	40
P.N.	16	16	16	16	16	16	16	16

Machón reducido rosca

Male-Male reducer nipple threaded
Mamelon double reduit filete

Roscar
To thread
Filete




Medida	3/4"-1/2"	1"-1/2"	1"-3/4"	1 1/4"-1/2"	1 1/4"-3/4"	1 1/4"-1"	1 1/2"-3/4"	1 1/2"-1"	1 1/2"-1 1/4"
Código	4TURD2520	4TURD3220	4TURD3225	4TURD4020	4TURD4025	4TURD4032	4TURD5025	4TURD5032	4TURD5040
U/Caja	140	180	160	110	100	90	150	130	100
P.N.	16	16	16	16	16	16	16	16	16

Medida	2" - 1"	2"-1 1/4"	2"-1 1/2"	2 1/2"-1 1/4"	2 1/2"-1 1/2"	2 1/2"-2"	3"-2"	3"- 2 1/2"	4" - 3"
Código	4TURD6332	4TURD6340	4TURD6350	4TURD7540	4TURD7550	4TURD7563	4TURD9063	4TURD9075	4TURD11090
U/Caja	75	75	70	170	170	150	125	115	64
P.N.	16	16	16	10	10	10	10	10	10

Reducción macho-hembra

Male-female reducer threaded
Embout mâle- femelle à visser

Roscar
To thread
Filete




Medida	20	25	32	40	50	63	75	90	110
Código	4TP20	4TP25	4TP32	4TP40	4TP50	4TP63	4TP75	4TP90	4TP110
U/Caja	250	150	200	110	70	60	75	50	25
P.N.	16	16	16	16	16	16	10	10	10

Tapón hembra encolar

Female cap glued
Bouchon femelle à coller

Encolar
To glue
A collar




Medida	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
Código	4TPRH20	4TPRH25	4TPRH32	4TPRH40	4TPRH50	4TPRH63	4TPRH75	4TPRH90	4TPRH110
U/Caja	250	180	200	150	110	100	90	66	34
P.N.	16	16	16	16	16	16	10	10	10

Tapón hembra rosca

Female cap thread
Bouchon femelle à visser

Roscar
To thread
Filete




Medida	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
Código	4TPRM20	4TPRM25	4TPRM32	4TPRM40	4TPRM50	4TPRM63	4TPRM75	4TPRM90	4TPRM110
U/Caja	270	160	250	130	110	60	100	65	45
P.N.	16	16	16	16	16	16	10	10	10

Tapón macho rosca

Male cap thread
Bouchon mâle à visser

Roscar
To thread
Filete




Medida	20	25	32	40	50	63	75	90	110
Código	4MNB20	4MNB25	4MNB32	4MNB40	4MNB50	4MNB63	4MNB75	4MNB90	4MNB110
U/Caja	200	150	200	100	60	30	50	38	26
P.N.	16	16	16	16	16	16	10	10	10

Medida	125	140	160	200	225	250	315
Código	4MNB125	4MNB140	4MNB160	4MNB200	4MNB225	4MNB250	4MNB315
U/Caja	30	20	15	8	6	1	1
P.N.	10	10	10	10	10	10	10

Manguito porta-bridas encolar

Flange adaptor glued
Collet strie femelle

Encolar
To glue
A collar




Medida	20	25	32	40	50	63	75	90	110
Código	4BR20	4BR25	4BR32	4BR40	4BR50	4BR63	4BR75	4BR90	4BR110
U/Caja	100	60	50	35	35	25	50	38	26
P.N.	16	16	16	16	16	16	10	10	10

Medida	125	140	160	200	225	250	315
Código	4BR125	4BR140	4BR160	4BR200	4BR225	4BR250	4BR315
U/Caja	30	20	15	8	6	1	1
P.N.	10	10	10	10	10	10	10

Brida loca para manguito porta-bridas

Flange
Bride



Medida	20	25	32	40	50	63	75	90	110
Código	4BDCG20	4BDCG25	4BDCG32	4BDCG40	4BDCG50	4BDCG63	4BDCG75	4BDCG90	4BDCG110
U/Caja	75	60	50	40	40	25	45	38	30
P.N.	16	16	16	16	16	16	10	10	10

Medida	20 - 22	25-27	32-32	40-42	50-52	63-60
Código	4EP20	4EP25	4EP32	4EP40	4EP50	4EP63
U/Caja	150	100	130	60	65	35
P.N.	16	16	16	16	16	16

Brida ciega

Cap flange
Bride bouchon



Espita encolar

Hose adaptor glued
Doville cannelée mâle à coller

Encolar
To glue
A collar



Medida	1/2" - 22	3/4" - 27	1" - 32	1 1/4" - 42	1 1/2" - 52	2" - 64
Código	4EPRM20	4EPRM25	4EPRM32	4EPRM40	4EPRM50	4EPRM63
U/Caja	140	90	120	100	70	40
P.N.	16	16	16	16	16	16

Espita rosca macho

Hose adaptor thread
Doville cannelée mâle à visser

Roscar
To thread
Filete




Medida	1" - 22	1 1/4" - 27	1 1/2" - 32	2" - 42
Código	4EPTU32	4EPTU40	4EPTU50	4EPTU63
U/Caja	320	100	150	60
P.N.	16	16	16	16

Espita con tuerca rosca


Hose adaptor with screw thread
Doville avec écrou

Roscar
To thread
Filete




Medida	20	25	32	40	50	63	75	90	110
Código	4EL320	4EL325	4EL332	4EL340	4EL350	4EL363	4EL375	4EL390	4EL3110
U/Caja	70	40	60	25	30	36	20	15	18
P.N.	16	16	16	16	16	16	10	10	10

Union tres piezas encolar **Encolar**
 Adaptor union glued *To glue*
 Union 3 piezas a collar *A collar*




Medida	20-1/2"	25-3/4"	32-1"	40-1 1/4"	50-1 1/2"	63-2"	75-2 1/2"	90-3"	110-4"
Código	4ELMX320	4ELMX325	4ELMX332	4ELMX340	4ELMX350	4ELMX363	4ELMX375	4ELMX390	4ELMX3110
U/Caja	70	40	60	25	30	36	20	15	18
P.N.	16	16	16	16	16	16	10	10	10

Union tres piezas mixta encolar-roskar **Mixta**
 Adaptor union threaded *To glue-To thread*
 Union 3 piezas femelle a collar femelle a visser *A collar-filete*




Medida	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
Código	4ELRH320	4ELRH325	4ELRH332	4ELRH340	4ELRH350	4ELRH363	4ELRH375	4ELRH390	4ELRH3110
U/Caja	70	40	60	25	30	36	20	15	18
P.N.	16	16	16	16	16	16	10	10	10

Union tres piezas roskar **Roskar**
 Adaptor union glued-threaded *To thread*
 Union 3 piezas a visser *Filete*



Medida		25-3/4"	32-1"
Código		4SDP25	4SDP32
U/Caja		140	80
P.N.		16	16

Adaptador para depósito **Mixta**
 Adaptor for deposit *To glue-To thread*
 Traversee de reservoir *A collar-filete*



Medida	20	25	32	40	50	63	75	90	110
Código	10PZ20	10PZ25	10PZ32	10PZ40	10PZ50	10PZ63	10PZ75	10PZ90	10PZ110
U/Caja	250	150	10	60	50	40	10	10	10
Cierre	No	No	Si	Si	Si	Si	Si	Si	Si

Pinza para tubería con tornillo de sujeción **Mixta**
 Tube clip with screw *To glue-To thread*
 Collier monoklip *A collar-filete*



Medida	0,5 L	1 L	0,5 L	1 L
Código	10CR500	10CR1000	10CRP500	10CRP1000
U/Caja	36	24	36	24
Envase	Bote	Bote	Tapon pincel	Tapon pincel

Cola rapida
 Rapid glue
 Colle rapid



Medida	0,5 L	1 L	0,5 L
Código	10CER500	10CER1000	10CERP500
U/Caja	36	24	36
Envase	Bote	Bote	Tapon pincel

Cola extra rapida
 Extra rapid glue
 Colle extra rapid



Medida	0,5 L	1 L
Código	10DS500	10DS1000
U/Caja	36	24
Envase	Bote	Bote



Disolvente
 Dissolvent
 Solvant

COLLARINES PVC ENCOLAR

CLAMP SADDLES TO GLUED

COLLIERS DE PRISE EN PVC A COLLER

CARACTERISTICAS CHARACTERISTICS CARACTERISTIQUES	CODIGO CODE CODE	Ø TUBO Ø PIPE Ø TUBE	P.N. P.N. P.N.	SALIDA EXT. OUT EXT. SORTIE EXT.	SALIDA EXT. / OUT EXT. / SORTIE EXT.	
					ROSCA HEMBRA THREADED FEMELLE À VISSER	SALIDA POLIETILENO OUT POLYETHYLENE SORTIE POLYÉTHYLÈNE
NOVEDAD	4CL**3220	32	16	1/2"-20		
	4CL**4020	40	16	1/2"-20		
	4CL**4025	40	16	3/4"-25		
	4CL**5020	50	16	1/2"-20		
	4CL**5025	50	16	3/4"-25		
	4CL**5032	50	16	1"-32		
	4CL**6320	63	16	1/2"-20		
	4CL**6325	63	16	3/4"-25		
	4CL**6332	63	16	1"-32		
	4CL**6340	63	16	1 1/4"-40		
	4CL**7520	75	16	1/2"-20		
	4CL**7525	75	16	3/4"-25		
	4CL**7532	75	16	1"-32		
	4CL**7540	75	16	1 1/4"-40		
	4CL**7550	75	16	1 1/2"		
	4CL**9020	90	16	1/2"-20		
	4CL**9025	90	16	3/4"-25		
	4CL**9032	90	16	1"-32		
	4CL**9040	90	16	1 1/4"-40		
	4CL**9050	90	16	1 1/2"		
	4CL**9063	90	16	2"		
	4CL**11020	110	16	1/2"-20		
	4CL**11025	110	16	3/4"-25		
	4CL**11032	110	16	1"-32		
	4CL**11040	110	16	1 1/4"-40		
	4CL**11050	110	16	1 1/2"		
	4CL**11063	110	16	2"		
	4CL**12520	125	16	1/2"-20		
	4CL**12525	125	16	3/4"-25		
	4CL**12532	125	16	1"-32		
	4CL**12540	125	16	1 1/4"-40		
	4CL**12550	125	16	1 1/2"		
	4CL**12563	125	16	2"		
	4CL**14020	140	16	1/2"-20		
	4CL**14025	140	16	3/4"-25		
	4CL**14032	140	16	1"-32		
	4CL**14040	140	16	1 1/4"-40		
	4CL**14050	140	16	1 1/2"		
	4CL**14063	140	16	2"		
	4CL**16025	160	16	3/4"-25		
	4CL**16032	160	16	1"-32		
	4CL**16040	160	16	1 1/4"-40		
	4CL**16050	160	16	50		
	4CL**16063	160	16	63		
	4CL**20032	200	16	25		
	4CL**20040	200	16	1"-32		
	4CL**20050	200	16	1 1/4"-40		
	4CL**20063	200	16	50		



- Para salida ROSCA HEMBRA sustituir en el código **** por "RH"
- For out THREADED change in the code **** by "RH"
- Pour sortie a visser femelle changer dans le code **** pour "RH"

- Para salida POLIETILENO sustituir en el código **** por "PE"
- For out POLYETHYLENE change in the code **** by "PE"
- Pour sortie a POLYÉTHYLÈNE changer dans le code **** pour "PE"