




Key blanks









KEYS COMPATIBILITY	42
Key blanks - 1:1 scale	43








Double-bit key blanks	49
-----------------------------	----











KEY BLANKS	CYLINDERS AND PADLOCKS
00770-00	0H112 - 0H149 - 0H155 - 0H210 - 0H310 - 0H311 - 0H312 - 0H314 - 0H317 - 0H350 - 0H351 - 0H352 - 0H357 - 0H410 - 0H510 - 0H610
00210-00/11	02400
00401-00	26020-50/60 - 26510-70/77/94 serie 28050 - 28350 - 28550 - 2650-01
00450-01/90	02163 - 02164 - 02172 - 02176 - 02179 - 02182 - 02502 - 02572 - 02652 - 08815 - 08835 08855 - 08857 - 08875 - 08887 - 72275 - 72276 - 28052 - 28352 - 28552
00500-01/90	02152 - 02162 - 02166 - 02169 - 02173 - 02174 - 02501 - 02562 - 02651 - 08810 - 08830 - 08850 - 08851 - 08870 - 08881 - 72270 72271 - 28051 - 28351 - 28551
00620-01/90	0A112 - 0A114 - 0A116 - 0A120 - 0A149 - 0A155 - 0A210 - 0A310 - 0A311 - 0A312 - 0A314 - 0A317 - 0A351 - 0A352 - 0A357 - 0A410 - 0A415 - 0A510 - 0A610 - 22610/50 - 28053 - 28353 - 28553
00800-00	0L112 - 0L149 - 0L155 - 0L210 - 0L3S1 - 0L3S2 - 0L3S7 - 0L314 - 0L510 - 0L210 - 0L114 - 0L156 - 0L150 - 0L116 - 0L120 - 0L410 - 0L610 0L415 - 28059 - 28359 - 28559
01210-00	02125 - 02510 - 02520 - 22010-70 - 22013-70
01220-00	02131 - 02132 - 08311-07/08/13/14
01310-00/10/20/30/40	02102 - 02104 - 02106 - 02110 - 02139 - 02142 - 02145 - 02146 - 02500 - 02513 - 02550 - 02552 - 02592 - 02649 08310-07/08/10/12÷15/17÷30/35÷37/46/70 - 08314 - 07/26 - 08320-03÷07/09÷13/19/21/22/25/26/27/29 08328-03÷07/09÷13/19/21/22/25÷27 - 08383 - 08353-03÷07/09÷13/14/17/18/19/21/22/25÷27/29/31÷42 08710-07/08/10/12÷15/17÷30/35÷37/46 - 08714-07/11/25-08728-03÷07/09÷13/19/21/22/25÷27/29 - 08730 08753-03÷07/09÷13/17/19/21/22/25÷27/29/31÷42 - 22010-50/60 - 22011-50/52 - 22012-50 - 22013-50/60 - 72250 - 72251 72255 - 72256
01070-10	06300-07-08-10-12÷15-17÷70 - 06301-07-12-13-26 - 06304-02÷13-20-21 - 06302 - 06303 - 06305 - 06307 06115 - 06150 - 06200 - 06500 - 06501
01320-00/10/20/30/40	02544-15 - 08310-04÷06/09/11/16 - 08314-05/06/11 - 08320-02/24/28 - 08328-02/24/28 - 08353-02/24/28 08710-04÷06/09/11/16 - 08714-05/06 - 08728-02/24/28 - 08753-02/24/28 - 44010 - 44011
01070-05	06300-04÷06-09/11/16 - 06301-05-06-09-11 - 06304-18
01330-00	02544-10/14 - 08310-02/03 - 08320-23 - 08328-23 - 08510-02/03 - 08353-23 02126 - 02156
01070-01	06300-02/03
01410-00	08210-02/05/06/12÷14/18 - 08220-02 - 08230-02/06 - 22010-40 - 22011-40/41 - 22012-40 - 22013-40 - 22070-40 - 26020-40 - 26021-40
01420-00	02040 - 02042 - 72010 - 72210 - 72215
01425-00	08210-01
01430-00	22010-30 - 22011-30/31 - 22012-30 - 22013-30 - 22070-30 - 26020-30
01440-00	22010-20/25 - 22011-20 - 22013-20/25 23010
01510-00	22010-115
01710-00	72350
00670-01	0E300 - 0E304 - 0E302 - 0E303 - 0E305 - 0E115 - 0E150 - 0E200 - 0E500 - 0E600


Type	Description	L	Pins	Unit weight	Pieces	ITEM				
						Type	Dim.	Hand	Fin.	Pers. Spec.
	<ul style="list-style-type: none"> Nickel-plated brass Paracentral keyway 	3	0,004	50	1	01040	01	1		
	<ul style="list-style-type: none"> Nickel-plated brass Paracentral keyway 	4	0,004	50	1	01040	02	1		
	<ul style="list-style-type: none"> Nickel-plated brass Paracentral keyway 	4	0,010	50	1	01040	03	1		
	<ul style="list-style-type: none"> Nickel-plated brass Paracentral keyway 	5	0,010	50	1	01040	04	1		
	<ul style="list-style-type: none"> Nickel-plated brass Paracentral keyway 	5	0,010	50	1	01040	05	1		
	<ul style="list-style-type: none"> Nickel-plated brass 	5	0,012	50	1	01060	10	0		
	<ul style="list-style-type: none"> Nickel-plated steel Cross key section 	75,0	6	0,018	25	1	00210	00	0	
		90,0	6	0,023	25	1	00211	00	0	
	<ul style="list-style-type: none"> Nickel-plated brass Paracentral keyway 	6	0,015	25	1	01210	00	2		

Type	Description	L	Pins	Unit weight	Pieces	ITEM				
						Type	Dim.	Hand	Fin.	Pers.
	<ul style="list-style-type: none"> Nickel-plated brass Paracentral keyway 	5	0,014	25	1	01220	00	2		
C2000 	<ul style="list-style-type: none"> Nickel-plated brass Paracentral keyway 	5	0,012	50	1	01070	10	1		
		5	0,013	50	1	01070	10	2		
C2000 	<ul style="list-style-type: none"> Nickel-plated brass Paracentral keyway 	4	0,012	50	1	01070	05	1		
		4	0,011	50	1	01070	05	2		
C2000 	<ul style="list-style-type: none"> Nickel-plated brass Paracentral keyway 	3	0,011	50	1	01070	01	1		
		3	0,011	50	1	01070	01	2		
	<ul style="list-style-type: none"> Nickel-plated brass Paracentral keyway 	5	0,010	50	1	01310	00	1		
		5	0,010	50	1	01310	00	2		
	<ul style="list-style-type: none"> Nickel-plated brass Paracentral keyway 	4	0,010	50	1	01320	00	1		
		4	0,010	50	1	01320	00	2		

Type	Description	L	Pins	Unit weight	Pieces	ITEM						
						Type	Dim.	Hand	Fin.	Pers.	Spec.	
	<ul style="list-style-type: none"> Nickel-plated brass Paracentral keyway 					5	0,014	50	1	01310	10	1
						5	0,015	50	1	01310	10	2
	<ul style="list-style-type: none"> Nickel-plated brass Paracentral keyway 					4	0,014	50	1	01320	10	1
						4	0,013	50	1	01320	10	2
	<ul style="list-style-type: none"> Blank key for master key duplication (MK) Nickel-plated brass Paracentral keyway 					5	0,014	50	1	01310	20	1
						5	0,010	50	1	01310	20	2
	<ul style="list-style-type: none"> Blank key for master key duplication (MK) Nickel-plated brass Paracentral keyway 					4	0,011	50	1	01320	20	1
						4	0,010	50	1	01320	20	2
	<ul style="list-style-type: none"> Blank key for grand master key duplication (GMK) Nickel-plated brass Paracentral keyway 					5	0,014	50	1	01310	30	1
						5	0,010	50	1	01310	30	2
	<ul style="list-style-type: none"> Blank key for grand master key duplication (GMK) Nickel-plated brass Paracentral keyway 					4	0,011	50	1	01320	30	1
						4	0,010	50	1	01320	30	2
	<ul style="list-style-type: none"> Blank key for great grand master key duplication (GGMK) Nickel-plated brass Paracentral keyway 					5	0,014	50	1	01310	40	1


Type	Description	L	Pins	Unit weight	Pieces	ITEM			
						Type	Dim.	Hand	Fin.
	<ul style="list-style-type: none"> • Blank key for great grand master key duplication (GGMK) • Nickel-plated brass • Paracentral keyway 	4	0,010	50	1	01320	40	1	
		4	0,010	50	1	01320	40	2	
	<ul style="list-style-type: none"> • Nickel-plated brass • Paracentral keyway 	3	0,011	50	1	01330	00	1	
		3	0,010	50	1	01330	00	2	
	<ul style="list-style-type: none"> • Nickel-plated brass • Paracentral keyway 	5	0,007	50	1	01410	00	1	
		5	0,007	50	1	01410	00	2	
	<ul style="list-style-type: none"> • Nickel-plated brass • Paracentral keyway 	4	0,008	50	1	01420	00	1	
		4	0,008	50	1	01420	00	2	
	<ul style="list-style-type: none"> • Nickel-plated brass • Paracentral keyway 	3	0,007	50	1	01425	00	1	
		3	0,008	50	1	01425	00	2	
	<ul style="list-style-type: none"> • Nickel-plated brass • Paracentral keyway 	4	0,005	50	1	01430	00	1	
		4	0,005	50	1	01430	00	2	
	<ul style="list-style-type: none"> • Nickel-plated brass • Paracentral keyway 	4	0,005	50	1	01440	00	1	
		4	0,004	50	1	01440	00	2	
	<ul style="list-style-type: none"> • Nickel-plated brass • Paracentral keyway 	3	0,003	50	1	01510	00	1	
		3	0,002	50	1	01510	00	2	

Type	Description	L	Pins	Unit weight	Pieces	ITEM			
						Type	Dim.	Hand	Fin.




- Nickel-plated brass
- Multiprofile
- Paracentral keyway

5	0,010	50	1	01336 00 1
5	0,010	50	1	01336 00 2




- Nickel-plated brass
- Multiprofile
- Paracentral keyway

4	0,009	50	1	01337 00 1
4	0,009	50	1	01337 00 2



- Nickel-plated brass
- Wafer key


5	0,007	50	1	01710 00 1
5	0,006	50	1	01710 00 2



- Nickel-plated brass
- Paracentral keyway

5	0,015	50	1	00401 00 1
5	0,015	50	1	00401 00 2


Asix



- Nickel-plated brass
- Thickness 2.9 mm.
- Flat profile

6	0,017	50	1	00670 01 0
---	-------	----	---	------------

Astral




- Nickel-plated brass
- Thickness 2.2 mm.
- Flat profile

10	0,015	50	1	00600 01 0
----	-------	----	---	------------

Type	Description	L	Pins	Unit weight Kg	Pieces	ITEM				
						Type	Dim.	Hand	Fin.	Pers.


Astral



- Nickel-plated brass
- Thickness 2.9 mm.
- Flat profile

10 0,017 50 1 00620 01 0


Astral



- Nickel-plated brass
- Nylon bow
- Long key
- Thickness 2.9 mm.
- Flat profile


10 0,015 20 1 00620 90 0

AP3










- SEE CISA SOLUTION PARTNER PROGRAM


AP3



ALI

Type	Description	For locks series	L	Levers	Unit weight 	Pieces 	ITEM			
							Type	Dim.	Hand	Fin.
	<ul style="list-style-type: none"> Nickel-plated brass 	17300, 57000, 57200, 57300, 57400, 57800					1	00100	00	1
							1	00102	00	1
	<ul style="list-style-type: none"> Nickel-plated brass Nylon bow 	57000, 57200, 57800					1	00101	00	1
							1	00101	00	2
							2	00104	00	1
	<ul style="list-style-type: none"> Nickel-plated brass Nylon bow 	57050, 57055, 57060					1	00110	00	1
	<ul style="list-style-type: none"> Nickel-plated brass 	17500, 57100, 57500					1	00120	00	1
							1	00120	00	2
							2	00121	00	1
	<ul style="list-style-type: none"> Nickel-plated brass Nylon bow 	17500, 56700, 57500, 57700					1	00122	00	1
							1	00123	00	1
							1	00124	00	1
	<ul style="list-style-type: none"> Nickel-plated brass 	57100, 57500					1	00125	00	1
							1	00125	00	2
	<ul style="list-style-type: none"> Nickel-plated brass Nylon bow 	17600, 57600, 57900					1	00162	00	1
							1	00163	00	1

Type	Description	For locks series	L	Levers	Unit weight Kg	Pieces	ITEM			
							Type	Dim.	Hand	Fin.



- Nickel-plated brass
- Nylon snap grip

17600, 57600, 57900

44,0	6	0,042	10	1	00170 00 1
64,0	6	0,042	10	1	00171 00 1