


# Keying kits



Keying components for cylinders and padlocks .....	536
Keying components for cylinders and padlocks .....	537
Keying components for double-bit key locks.....	543

Assembling tools for cylinders and padlocks.....	547
--	-----

Cylinders and padlocks are available in "SEMI-ASSEMBLED" or "UNASSEMBLED" version. In both cases pins, drivers, springs, keys and pin hole plugs are to be ordered separately:

- "SEMI - ASSEMBLED" "90": (ready for keying)
- "ASSEMBLED" "91": (completely unassembled)

In both cases, keys, pins, drivers, springs, pin hole plugs circlips, are to be ordered separately.

CYLINDERS	SEMI - ASSEMBLED			UNASSEMBLED			
	STANDARD	SP	TSP	STANDARD	SP	TSP	ASTRAL
Euro profile double cylinders	*	*	*	*	*		*
Euro profile single cylinders	*	*	*	*	*		*
Euro profile thumb turn cylinders	*	*	*	*	*		*
Rim cylinders, cam locks, furniture cylinders				*	*		*
Rim cylinder set				*	*		*
Hardened steel padlock cylinders					*		*

PADLOCKS	SEMI - ASSEMBLED		
	STANDARD	LIM	ASTRAL
22010-30, 22010-40	*		
22010-50, 22010-60	*	*	
22010-70	*		
22010-50			*
26510-70, 26510-77, 26510-94		*	

**When ordering specify hand of key-way for standard products write "1" in ninth position:**

**FOR INSTANCE**

1.0G300.1.00.90 - 1.0G300.05.1.00.90: (semi-assembled cylinder with right hand key-way)








**When ordering specify profile number (see first 3 digit of key-code) for "SP" and "TSP" products.**









**FOR INSTANCE**

1.08815.05.0.00.90 key code 102:(semi-assembled "SP" cylinder with key-way 102)

Type	Description	Bitting	H	Kg	Pieces	ITEM			
						Type	Dim.	Hand	Fin.
	<ul style="list-style-type: none"> <li>• Bronze pin for cylinders and padlocks with key item 00401, 01310, 01320, 01330</li> <li>• Key differ: 0.65 mm.</li> </ul>	1	5,20	0,305	1000	1	07551	01	0
		2	5,85	0,340	1000	1	07551	02	0
		3	6,50	0,370	1000	1	07551	03	0
		4	7,15	0,384	1000	1	07551	04	0
		5	7,80	0,430	1000	1	07551	05	0
		6	8,45	0,480	1000	1	07551	06	0
	<ul style="list-style-type: none"> <li>• Bronze pin for cylinders and padlocks with key item 00500 and 00450</li> <li>• Key differ: 0.5 mm.</li> </ul>		4,00	0,235	1000	1	07551	11	0
		1	4,50	0,250	1000	1	07551	12	0
		2	5,00	0,250	1000	1	07551	13	0
		3	5,50	0,315	1000	1	07551	14	0
		4	6,00	0,330	1000	1	07551	15	0
		5	6,50	0,365	1000	1	07551	16	0
		6	7,00	0,400	1000	1	07551	17	0
7	7,50	0,480	1000	1	07551	18	0		
	<ul style="list-style-type: none"> <li>• Bronze pin for C2000 cylinders with key item 01070</li> <li>• Key differ: 0.44 mm.</li> </ul>	1	5,20	0,305	1000	1	07551	01	0
		2	5,64	0,285	1000	1	07551	41	0
		3	6,07	0,330	1000	1	07551	42	0
		4	6,50	0,370	1000	1	07551	03	0
		5	6,94	0,365	1000	1	07551	43	0
		6	7,37	0,400	1000	1	07551	44	0
		7	7,80	0,430	1000	1	07551	05	0
		8	8,25	0,460	1000	1	07551	45	0
	<ul style="list-style-type: none"> <li>• Bronze pin for ASTRAL and ASIX cylinders with key item 1.00620.01.0, 1.00620.90.0, 1.00670.01.0</li> <li>• Key differ: 0.48 mm.</li> </ul>	1	5,05	0,255	1000	1	07551	71	0
		2	5,53	0,185	1000	1	07551	72	0
		3	6,01	0,290	1000	1	07551	73	0
		4	6,49	0,185	1000	1	07551	74	0
		5	6,97	0,185	1000	1	07551	75	0
		6	7,45	0,185	1000	1	07551	76	0
	<ul style="list-style-type: none"> <li>• Bronze pin for padlocks with key item 01410, 01420, 01425, 01430</li> <li>• Key differ: 0.65 mm.</li> </ul>	1	4,45	0,206	1000	1	07551	51	0
		2	5,10	0,250	1000	1	07551	52	0
		3	5,75	0,260	1000	1	07551	53	0
		4	6,40	0,300	1000	1	07551	54	0
		5	7,05	0,322	1000	1	07551	55	0
		6	7,70	0,350	1000	1	07551	56	0
	<ul style="list-style-type: none"> <li>• Bronze upper passive pin for ASTRAL cylinders</li> </ul>		5,80	0,241	1000	1	07551	79	0
	<ul style="list-style-type: none"> <li>• Brass driver for cylinders and padlocks with key item 00401, 00450, 00500, 01310, 01320, 01330, 01070</li> </ul>		3,00	0,295	1000	1	07552	01	0
			4,00	0,226	1000	1	07552	02	0
			5,00	0,305	1000	1	07552	03	0

Type	Description	Bitting	H	Unit weight Kg	Pieces	ITEM					
						Type	Dir.	Hand	Fin.	Pers.	Spec.
	<ul style="list-style-type: none"> <li>Brass driver for cylinders and padlocks with key item 01410, 01420, 01425, 01430</li> </ul>			3,85	0,215	1000	1	07552	51	0	
	<ul style="list-style-type: none"> <li>Mushroom brass driver for ASTRAL cylinders with key item 1.00620.01.0, 1.00620.90.0</li> </ul>			1	8,00	0,410	1000	1	07552	71	0
				2	7,50	0,410	1000	1	07552	72	0
				3	7,00	0,410	1000	1	07552	73	0
				4	6,50	0,410	1000	1	07552	74	0
				5	6,00	0,410	1000	1	07552	75	0
	<ul style="list-style-type: none"> <li>Brass driver for ASTRAL and ASIX cylinders with key item 1.00620.01.0, 1.00620.90.0, 1.00670.01.0</li> </ul>			6	5,50	0,410	1000	1	07552	76	0
	<ul style="list-style-type: none"> <li>Brass driver for ASTRAL and ASIX rim cylinders with key item 1.00620.01.0, 1.00620.90.0, 1.00670.01.0</li> </ul>			1	5,50	0,410	1000	1	07552	81	0
				2	0,00	0,410	1000	1	07552	82	0
				3	4,50	0,410	1000	1	07552	83	0
				4	3,95	0,410	1000	1	07552	84	0
				5	3,30	0,410	1000	1	07552	85	0
				6	2,65	0,410	1000	1	07552	86	0
	<ul style="list-style-type: none"> <li>Mushroom brass driver for cylinders and padlocks with key item 00401, 00450, 00500, 01310, 01320, 01330, 01070</li> </ul>			3,00	0,255	1000	1	07553	01	0	
				4,00	0,212	1000	1	07553	02	0	
				5,00	0,228	1000	1	07553	03	0	
	<ul style="list-style-type: none"> <li>Mushroom brass driver for cylinders and padlocks with key item 01410, 01420, 01425, 01430</li> </ul>			3,85	0,170	1000	1	07553	51	0	
	<ul style="list-style-type: none"> <li>Brass spring for cylinders series 02500 and 02559</li> </ul>			13,50	0,095	1000	1	07554	01	0	
	<ul style="list-style-type: none"> <li>Brass spring for cylinders series 02550 and 02552</li> </ul>			10,50	0,080	1000	1	07554	02	0	
	<ul style="list-style-type: none"> <li>Brass spring for: Cylinders series C2000, 08300, 08700, 08800 Padlocks item 1.22010.50/60 and 1.26010.50/60</li> </ul>			15,50	0,094	1000	1	07554	03	0	
	<ul style="list-style-type: none"> <li>Brass spring for cylinders series 07573</li> </ul>			10,70	0,102	1000	1	07554	05	0	
	<ul style="list-style-type: none"> <li>Brass spring for padlocks item 1.22010.30/40</li> </ul>			9,00	0,080	1000	1	07554	51	0	

Type	Description	Bitting	H	Kg	Pieces	ITEM			
						Type	Dim.	Hand	Fin.
	• Bronze spring for ASTRAL SIGILLO cylinders	9,50	0,078	1000	1	07554	71	0	
	• Brass spring for ASTRAL and ASIX cylinders	12,00	0,065	1000	1	07554	72	0	
	• Bronze spring for ASTRAL and ASIX cylinders	10,00	0,102	1000	1	07554	73	0	
	• Steel spring for snap resistant cylinders	9,50	0,078	1000	1	07554	91	0	
	• Steel spring for mortise cylinders	12,00	0,065	1000	1	07554	92	0	
	• Brass master pin for cylinders and padlocks with key item 00401, 01310, 01320, 01330, 01070	1	0,55	0,070	1000	1	07555	01	0
	• Key differ: 0.65 mm.	2	1,20	0,100	1000	1	07555	02	0
		3	1,85	0,145	1000	1	07555	03	0
		4	2,50	0,177	1000	1	07555	04	0
		5	3,15	0,213	1000	1	07555	05	0
	• Additional brass master pin for complex systems with key item 00401, 01310, 01320, 01330, 01070	1	0,65	0,078	1000	1	07555	11	0
	• Key differ: 0.65 mm.	2	1,30	0,100	1000	1	07555	12	0
		3	1,95	0,145	1000	1	07555	13	0
		4	2,65	0,175	1000	1	07555	14	0
	• Brass master pin for cylinders and padlocks with key item 00450, 00500	2	1,00	0,095	1000	1	07555	21	0
	• Key differ: 0.5 mm.	3	1,50	0,120	1000	1	07555	22	0
		4	2,00	0,130	1000	1	07555	23	0
		5	2,50	0,185	1000	1	07555	24	0
		6	3,00	0,170	1000	1	07555	25	0
		7	3,50	0,230	1000	1	07555	26	0
		• Additional brass master pin for complex systems with cylinder ASTRAL and ASIX	2	0,96	0,078	1000	1	07555	31
• Key differ: 0.48 mm.		3	1,44	0,078	1000	1	07555	32	0
	• Brass master pin for cylinders ASTRAL and ASIX	2	0,88	0,213	1000	1	07555	33	0
	• Key differ: 0.48 mm.	3	1,36	0,213	1000	1	07555	34	0
		4	1,84	0,213	1000	1	07555	35	0
		5	2,32	0,213	1000	1	07555	36	0
		• Brass master pin for cylinders and padlocks with key item 01410, 01420, 01425, 01430	1	0,55	0,067	1000	1	07555	51
• Key differ: 0.65 mm.		2	1,20	0,095	1000	1	07555	52	0
		3	1,85	0,125	1000	1	07555	53	0
		4	2,50	0,153	1000	1	07555	54	0
		5	3,15	0,170	1000	1	07555	55	0
• Additional brass master pin for complex systems with key item 01410, 01420, 01425, 01430		1	0,65	0,073	1000	1	07555	61	0
• Key differ: 0.65 mm.		2	1,30	0,097	1000	1	07555	62	0
		3	1,95	0,121	1000	1	07555	63	0
		4	2,60	0,154	1000	1	07555	64	0

Type	Description	Bitting	H	Kg	Pieces	ITEM			
						Type	Dim.	Hand	Fin.
	• Brass plug retaining pin for padlocks item 1.22010.50.0	16,00	0,285	250	1	07556	01	0	
	• Brass plug retaining pin for padlocks item 1.22010.30.0	12,70	0,165	250	1	07556	51	0	
	• Brass plug retaining pin for padlocks item 1.22010.40.0	18,30	0,270	250	1	07556	52	0	
	• Brass pin hole plug for padlocks item 1.22010.50.0 and 26510	4,50	0,323	1000	1	07557	01	0	
	• Brass pin hole plug for padlocks item 1.22010.60.0	9,50	0,630	1000	1	07557	02	0	
	• Brass pin hole plug for cylinders series C2000, 08300, 08700, 08800	4,10	0,295	1000	1	07557	11	0	
	• Pin chamber plate for padlocks item 1.22010.30.0	0,188		250	1	07557	51	0	
	• Pin hole plug for padlocks item 1.22010.40.0	5,50	0,322	1000	1	07557	52	0	
	• Brass plug retaining circlip for rim cylinders	0,195		250	1	07558	01	0	
	• Brass plug retaining circlip for cylinders series C2000, 08310, 08710, 08815	0,275		250	1	07558	02	0	
	• Brass plug retaining circlip for cylinders series 07573	0,275		250	1	07558	03	0	
	• Steel ring for mortise cylinders	0,275		250	1	07558	05	0	
	• Stainless steel ball for SP and TSP cylinders	0,025		250	1	07562	01	0	
	• Hardened steel pin for cylinders and padlock with key item 00401 - 01310 - 01320 - 01330	1	5,20	0,220	1000	1	07571	01	0
	• Key differ: 0.65 mm.	2	5,85	0,265	1000	1	07571	02	0
		3	6,50	0,300	1000	1	07571	03	0
		4	7,15	0,335	1000	1	07571	04	0
		5	7,80	0,370	1000	1	07571	05	0
		6	8,45	0,400	1000	1	07571	06	0

Type	Description	Bitting	H	Kg	Pieces	ITEM				
						Type	Dim.	Hand	Fin.	Pers.
	<ul style="list-style-type: none"> <li>Hardened steel pin for cylinders and padlocks with key item 00450 and 00500</li> </ul>	4,00	0,400	1000	1 07571	11	0			
		1	4,50	0,400	1000	1 07571	12	0		
		2	5,00	0,400	1000	1 07571	13	0		
		3	5,50	0,295	1000	1 07571	14	0		
		4	6,00	0,400	1000	1 07571	15	0		
		5	6,50	0,400	1000	1 07571	16	0		
		6	7,00	0,400	1000	1 07571	17	0		
		7	7,50	0,400	1000	1 07571	18	0		
	<ul style="list-style-type: none"> <li>Hardened steel pin for C2000 cylinders a with key item 01070</li> <li>Key differ: 0.44 mm.</li> </ul>	1	5,20	0,220	1000	1 07571	01	0		
		2	5,64	0,220	1000	1 07571	41	0		
		3	6,07	0,265	1000	1 07571	42	0		
		4	6,50	0,300	1000	1 07571	03	0		
		5	6,94	0,300	1000	1 07571	43	0		
		6	7,37	0,335	1000	1 07571	44	0		
		7	7,80	0,370	1000	1 07571	05	0		
		8	8,25	0,435	1000	1 07571	45	0		
	<ul style="list-style-type: none"> <li>Hardened steel pin for ASTRAL and ASIX cylinders with key item 1.00600.01.0, 1.00620.01.0, 1.00620.90.0, 1.00670.01.0,</li> <li>Key differ: 0.48 mm.</li> </ul>	1	5,05	0,155	1000	1 07571	71	0		
		2	5,53	0,155	1000	1 07571	72	0		
		3	6,01	0,155	1000	1 07571	73	0		
		4	6,49	0,155	1000	1 07571	74	0		
		5	6,97	0,155	1000	1 07571	75	0		
		6	7,45	0,155	1000	1 07571	76	0		
	<ul style="list-style-type: none"> <li>Hardened steel driver for cylinders and padlocks with key item 00401, 00450, 00500, 01313, 01320, 01330</li> </ul>	2,50	0,235	1000	1 07572	01	0			
		3,50	0,235	1000	1 07572	02	0			
		5,00	0,272	1000	1 07572	03	0			
	<ul style="list-style-type: none"> <li>Steel driver for rim and various cylinders, ASTRAL and ASIX series</li> </ul>	1	5,50	0,380	1000	1 07572	71	0		
		2	5,00	0,380	1000	1 07572	72	0		
		3	4,50	0,380	1000	1 07572	73	0		
		4	3,95	0,380	1000	1 07572	74	0		
		5	3,30	0,380	1000	1 07572	75	0		
		6	2,65	0,380	1000	1 07572	76	0		
	<ul style="list-style-type: none"> <li>Steel driver for mortice-single cylinders</li> </ul>	1	8,00	0,410	1000	1 07572	81	0		
		2	7,50	0,410	1000	1 07572	82	0		
		3	7,00	0,410	1000	1 07572	83	0		
		4	6,50	0,410	1000	1 07572	84	0		
	<ul style="list-style-type: none"> <li>Steel driver for snap resistant cylinders</li> </ul>	1	7,00	0,410	1000	1 07572	83	0		
		2	6,50	0,410	1000	1 07572	84	0		
		3	6,00	0,410	1000	1 07572	85	0		
		4	5,50	0,410	1000	1 07572	88	0		
	<ul style="list-style-type: none"> <li>Steel driver for mortise single cylinders</li> </ul>	5-6	6,00	0,380	1000	1 07572	87	0		

Type	Description	Bitting	H	Unit weight Kg	Pieces	ITEM					
						Type	Dim.	Hand	Fin.	Pers.	Spec.
	<ul style="list-style-type: none"> <li>Steel driver for snap resistant cylinders</li> </ul>	5-6	4,50	0,380	1000	1	07572	89	0		
	<ul style="list-style-type: none"> <li>Hardened steel upper passive pin</li> </ul>	5,80	0,241	1000	1	07571	79	0			
	<ul style="list-style-type: none"> <li>BKP steel driver assembly</li> </ul>	1	7,00	0,380	1000	1	07572	91	0		
		2-3	6,50	0,380	1000	1	07572	92	0		



Type	Description	For series/item	Unit weight Pieces	ITEM				
				Type	Dim.	Hand	Fin.	Pers.
	<ul style="list-style-type: none"> <li>• Set of steel levers</li> <li>• 3 keys item 1.00102.00.1</li> </ul>	57010, 57014, 57015, 57019, 57028, 57033	0,180 1	1	1	07590	01	0
	<ul style="list-style-type: none"> <li>• Set of steel levers</li> <li>• 3 keys item 1.00102.00.1</li> </ul>	57020, 57024	0,255 1	1	1	07590	05	0
	<ul style="list-style-type: none"> <li>• Set of steel levers</li> <li>• 3 keys item 1.00110.00.1</li> </ul>	57050, 57055	0,100 1	1	1	07590	08	0
	<ul style="list-style-type: none"> <li>• Set of steel levers</li> <li>• 3 keys item 1.00110.00.1</li> </ul>	57060	0,245 1	1	1	07590	10	0
	<ul style="list-style-type: none"> <li>• Set of steel levers</li> <li>• 3 keys item 1.00102.00.1</li> </ul>	57210, 57211, 57215, 57217, 57800	0,120 1	1	1	07590	12	0
	<ul style="list-style-type: none"> <li>• Set of steel levers</li> <li>• 3 keys item 1.00102.00.1</li> </ul>	1 57410 30 1, 1 57415 30 1, 57220, 57223, 57225, 57226	0,120 1	1	1	07590	15	0

Type	Description	For series/item	Unit weight Kg	Pieces	ITEM			
					Type	Dir.	Hand	Fin.
	<ul style="list-style-type: none"> <li>• Set of steel levers</li> <li>• 3 keys item 1.00102.00.1</li> </ul>	57230	0,170	1	1	07590	18	0
	<ul style="list-style-type: none"> <li>• Set of steel levers</li> <li>• 3 keys item 1.00102.00.1</li> </ul>	57250, 57251, 57254, 57255, 57256, 57259, 57260, 57265	0,160	1	1	07590	21	0
	<ul style="list-style-type: none"> <li>• Set of steel levers</li> <li>• 3 keys item 1.00100.00.1</li> </ul>	17352, 17353, 17357, 17358, 57013, 57016, 57030, 57035, 57312, 57313, 57317, 57318, 57320, 57325, 57330, 57333, 57335, 57336, 57352, 57353, 57357, 57358, 57360, 57365, 57370, 57375	0,142	1	1	07590	23	0
	<ul style="list-style-type: none"> <li>• Set of steel levers</li> <li>• 3 keys item 1.00121.00.2</li> </ul>	57121	0,170	1	1	07590	24	0
	<ul style="list-style-type: none"> <li>• Set of steel levers</li> <li>• 3 keys item 1.00120.00.1</li> </ul>	1 57115 60 1, 1 57125 60 1, 1 57135 60 1, 57500, 57502, 57505, 57507, 57510, 57512, 57515, 57517, 57520, 57525, 57530, 57535	0,185	1	1	07590	25	0

Type	Description	For series/item	Unit weight	Pieces	ITEM				
					Type	Dim.	Hand	Fin.	Pers.
	<ul style="list-style-type: none"> <li>• Set of steel levers</li> <li>• 3 keys item 1.00120.00.1</li> </ul>	1 57110 60 1, 1 57120 60 1, 1 57130 60 1	0,185	1	1 07590 26 0				
	<ul style="list-style-type: none"> <li>• Set of steel levers</li> <li>• 3 keys item 1.00120.00.2</li> </ul>	1 57110 60 2, 1 57120 60 2, 1 57130 60 2	0,195	1	1 07590 27 0				
	<ul style="list-style-type: none"> <li>• Set of steel levers</li> <li>• 3 keys item 1.00120.00.2</li> </ul>	1 57115 60 2, 1 57125 60 2, 1 57135 60 2	0,170	1	1 07590 28 0				
	<ul style="list-style-type: none"> <li>• Set of steel levers</li> <li>• 3 keys item 1.00123.00.1</li> <li>• 1 service key item 1.00120.00.1</li> </ul>	57501, 57506, 57511, 57516, 57518, 57521, 57526, 57536	0,213	1	1 07590 29 0				
	<ul style="list-style-type: none"> <li>• Set of steel levers</li> <li>• 3 keys item 1.00123.00.1</li> <li>• 1 construction key item 1.00120.00.1</li> </ul>	57501, 57506, 57511, 57516, 57518, 57520, 57521, 57526, 57536	0,210	1	1 07590 30 0				
	<ul style="list-style-type: none"> <li>• Set of steel levers</li> <li>• 3 keys item 1.00125.00.1</li> </ul>	1 57155 60 1, 1 57165 60 1, 1 57175 60 1, 1 57500 08 0, 1 57505 08 0, 1 57510 08 0, 1 57515 08 0	0,210	1	1 07590 35 0				


Type	Description	For series/item	Unit weight Pieces	ITEM				
				Type	Dir.	Hand	Fin.	Pers. Spec.
	<ul style="list-style-type: none"> <li>• Set of steel levers</li> <li>• 3 keys item 1.00125.00.1</li> </ul>	1 57150 60 1, 1 57160 60 1, 1 57170 60 1	0,200	1	1	07590	36	0
	<ul style="list-style-type: none"> <li>• Set of steel levers</li> <li>• 3 keys item 1.00125.00.2</li> </ul>	1 57150 60 2, 1 57160 60 2, 1 57170 60 2	0,233	1	1	07590	37	0
	<ul style="list-style-type: none"> <li>• Set of steel levers</li> <li>• 3 keys item 1.00125.00.2</li> </ul>	1 57155 60 2, 1 57165 60 2, 1 57175 60 2	0,212	1	1	07590	38	0
	<ul style="list-style-type: none"> <li>• Set of steel levers</li> <li>• 2 keys item 1.00101.00.2</li> </ul>	1 57409 30 1, 1 57411 30 1, 1 57416 30 1	0,100	1	1	07590	45	0
	<ul style="list-style-type: none"> <li>• Set of steel levers</li> <li>• 3 keys item 1.00100.00.1</li> </ul>	57210,57211, 57215,57800	0,100	1	1	07591	12	0

Type	Description	For series/item	Unit weight Kg	Pieces	ITEM				
					Type	Dim.	Hand	Fin.	Pers.
	<ul style="list-style-type: none"> <li>Assembly kit for: European profile cylinders Rim cylinders Padlocks item 1.22010.50/60 and 1.26020.50/60</li> <li>Pins diameter 2.8 mm.</li> </ul>	0G300, 08300, 08700	3,370	1	1	07550	01	0	
	<ul style="list-style-type: none"> <li>Assembly kit for: Padlocks item 1.22010.30/40</li> <li>Pins diameter 2.8 mm.</li> </ul>	1 22010 30 0, 1 22010 40 0	2,400	1	1	07550	02	0	
	<ul style="list-style-type: none"> <li>Assembly kit for: Steel padlocks series 28050, 28350, 28550 Brass padlocks item 1.22010.50/60 and 1.26020.50/60</li> <li>Pins diameter 2.8 mm.</li> </ul>	1 22010 50 0, 1 22010 60 0, 1 26020 50 0, 1 26020 60 0, 28050, 28350, 28550	2,500	1	1	07550	04	0	
	<ul style="list-style-type: none"> <li>Assembly kit for: SP and TSP cylinders</li> <li>Pins diameter 2.8 mm.</li> </ul>	08810, 08815	2,900	1	1	07550	05	0	
	<ul style="list-style-type: none"> <li>Assembly kit for: ASTRAL and ASIX cylinders Padlocks series 22610</li> </ul>	0A310, 0E300, 22610	3,170	1	1	07550	08	0	
	<ul style="list-style-type: none"> <li>Dummy plug</li> <li>Holes spacing: 4 mm.</li> </ul>	0G300, 02500, 08310, 08710	0,660	1	1	07559	01	0	
	<ul style="list-style-type: none"> <li>Spring retaining shoe</li> </ul>	0G300, 08310, 08710	0,030	1	1	07559	02	0	
	<ul style="list-style-type: none"> <li>Spring retaining shoe</li> </ul>	0A310, 0E300	0,015	1	1	07559	62	0	
	<ul style="list-style-type: none"> <li>Spring pressing blade</li> </ul>		0,050	1	1	07559	03	0	
	<ul style="list-style-type: none"> <li>Spring pressing blade</li> </ul>	0A310, 0E300	0,018	1	1	07559	63	0	

Type	Description	For series/Item	Unit weight Pieces	ITEM			
				Type	Dim.	Hand	Fin.
	• Circclip pliers		0,190 1	1	07559	04	0
	• Tweezers		0,010 1	1	07559	05	0
	• Spring retaining bar for rim cylinders		0,105 1	1	07559	06	0
	• Testing tool	1 22010 50 0	0,025 1	1	07559	07	0
	• Testing tool	1 22010 60 0	0,030 1	1	07559	08	0
	• Set of depth keys item 01310 (6 pieces)		0,061 1	1	07559	09	0
	• Testing tool	1 22010 30 0	0,020 1	1	07559	10	0
	• Testing tool	1 22010 40 0	0,025 1	1	07559	11	0
	• Set of depth keys item 01410 (6 pieces)		0,046 1	1	07559	12	0
	• Pin gauge (increment 0.65 mm.)	01310, 01410	0,035 1	1	07559	13	0
	• Pin gauge (increment 0,44 mm.)	01070	0,035 1	1	07559	48	0
	• Plug assembling tool	08310	0,525 1	1	07559	16	0


Type	Description	For series/item	Unit weight Pieces	ITEM				
				Type	Dim.	Hand	Fin.	Pers.
	<ul style="list-style-type: none"> <li>• Dummy plug</li> <li>• Holes spacing: 3.5 mm.</li> </ul>	08810, 08815	0,660	1	1	07559	19	0
	<ul style="list-style-type: none"> <li>• Pin gauge (increment 0.5 mm.)</li> </ul>	08810, 08815	0,015	1	1	07559	22	0
	<ul style="list-style-type: none"> <li>• Set of depth keys item 00450(8 pieces)</li> </ul>	08810, 08815	0,150	1	1	07559	23	0
	<ul style="list-style-type: none"> <li>• Butterfly-type spring retaining shoe for cylinders with knob</li> </ul>		0,050	1	1	07559	24	0
	<ul style="list-style-type: none"> <li>• Ball assembling tool for cylinders with knob</li> </ul>		0,050	1	1	07559	25	0
	<ul style="list-style-type: none"> <li>• Knob assembling tool for cylinders with knob</li> </ul>		0,050	1	1	07559	26	0
	<ul style="list-style-type: none"> <li>• Set of depth keys item 01070 (8 pieces)</li> </ul>	0G300	0,081	1	1	07559	28	0
	<ul style="list-style-type: none"> <li>• Spring positioning tool</li> </ul>	0A310, 0E300	0,055	1	1	07559	80	0
	<ul style="list-style-type: none"> <li>• Dummy plug</li> </ul>	0A310, 0E300	2,750	1	1	07559	81	0

Type	Description	For series/Item	Kg	Pcs	ITEM				
					Type	Dim.	Hand	Fin.	Pers.



• Key biting check kit, for Astral cylinder keys

0A310, 0E300 0,015 1 1 07559 84 0



• Spring positioning tool

0G300, 08310, 08710 0,080 1 1 07559 85 0



---

**N. B.**

- The products listed have all the characteristics indicated in the technical descriptions of CISA's catalogue, and it is advised to use them only as indicated. CISA does not guarantee any characteristics or use other than indicated. For special security needs the end-user should contact the retailer / installer of such products, or contact CISA directly to agree on specific variations to best meet the user's needs.
- The measurements are given in millimetres
- Weights refer to unit item, not to the package

---

CISA S.p.A. reserves the right to modify products here illustrated without prior notice.

---







Ingersoll Rand's Security Technologies Sector is a leading global provider of products and services that make environments safe, secure and productive. The sector's market-leading products include electronic and biometric access-control systems; time-and-attendance and personnel scheduling systems; mechanical locks; portable security; door closers, exit devices, architectural hardware, and steel doors and frames; and other technologies and services for global security markets.

[www.ingersollrand.com](http://www.ingersollrand.com)

CISA SpA  
Via Oberdan, 42  
48018 Faenza (RA) Italy  
Tel. +39 0546 677111  
Fax +39 0546 677150  
[www.cisa.com](http://www.cisa.com)

© 2006 Ingersoll-Rand Company Limited